

Doc ID: SDS-0069	Effective Date: December 03, 2015	Revision: B
Trade name	PermaRed/HRP™	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	PermaRed/HRP™
Cat ##	K075, K075-110
Components	2,6 dihydroxynapthalene , 3,4 diaminobenzoic acid, 2,4 dicholoro-1-napthol,
	dimethylformamide, Proclin 300™, 3-methyl-2-benzothaizolinone hydrate
EC	209-465-6, 210-577-2, 218-103-6, 200-679-5, 613-167-00-5, 238-428-7
CAS	581-43-1, 619-05-6, 2050-76-2, 68-12-2, 55965-84-9, 149022-15-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Liquids represented by three components: PermaRed/HRP Substrate Buffer (K 075B) PermaRed/HRP Chromogen (K 075C) & PermaRed/HRP Stabilizer (K 075ST)

1.3 Details of the supplier of the safety data sheet

Diagnostic BioSystems, Inc. 6616 Owens Drive Pleasanton, CA 94588 (925) 484-3350 Customersupport@dbiosys.com

1.4 Emergency telephone number

N/A

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Hazard Class	Category	Category	Hazard Statements (H-Statements)
N/A	N/A	N/A	This product has been classified as non-
			hazardous based on the physical and/or
			chemical nature and/or concentration of
			ingredients.

2.2 Label elements

Signal Word	Warning
Pictogram	<u>(1)</u>
H-Statements	N/A
P-Statements	N/A
EUH-Statements	N/A



Doc ID: SDS-0069	Effective Date: December 03, 2015	Revision: B
Trade name	PermaRed/HRP™	

2.3 Other hazards

N/A

SECTION 3: Composition/information on ingredients

Section 5. composition, information on ingredients				
COMPONENT 1 (K 075C)				
Name	Identifiers		Classification according to	Classification (for pure
			CLP	substances)
2,6 dihydroxynapthale	ene EC: 209-465-	6	Concentration: <1%	R36/37/38
	CAS: 581-43-	1		
3,4 diaminobenzoic aci	id EC: 210-577-	2	Concentration: <1%	R36/37/38
	CAS: 619-05-	6		
2,4 dicholoro-1-naptho	EC: 218-103-	6	Concentration: <1%	R36/37/38
	CAS: 2050-76	5-2		
dimethylformamide	EC: 200-679-	5	Concentration:< 99%	R20/21, R36, R61
	CAS: 68-12-2			
	CC	MF	PONENT 2 (K 075B)	
Name	Identifiers		Classification according to CLP	Classification (for pure
				substances)
Proclin 300™	EC: 613-167-00-5	(Concentration: <0.1%	R43
	CAS: 55965-84-9			
COMPONENT 3 (K 075ST)				
Name	Identifiers		Classification according to CLP	Classification (for pure
				substances)
3-methyl-2-	EC: 238-428-7	(Concentration: <49%	R43
benzothaizolinone	CAS: 149022-15-1			
hydrate				

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	Move to well-ventilated area and keep at rest in a position comfortable for
	breathing. If individual is not breathing, begin artificial respiration immediately and
	obtain medical attention.
If on skin	Immediately flush with copious amounts of water for at least 15 minutes. Remove
	contaminated clothing and shoes. If pain or irritation occurs, obtain medical
	attention.
If in eyes	Immediately wash eyes gently under running water for 15 minutes or longer,
	making sure that the eyelids are held open. If pain or irritation occurs, obtain



Doc ID: SDS-0069	Effective Date: December 03, 2015	Revision: B
Trade name	PermaRed/HRP™	

	medical attention.
If swallowed	Rinse mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If the exposed person is conscious, give small quantities of water to drink. Immediately seek medical attention and call poison control center. Do not induce vomiting unless directed to do so by medical personnel.
Self-protection of the first aider	N/A

4.2 Most important symptoms and effects, both acute and delayed

N/A

4.3 Indication of any immediate medical attention and special treatment needed

N/A

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	Extinguish using suitable agents
Unsuitable extinguishing media	N/A

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products	No combustion products posing significant hazards are expected from this product (a dilute aqueous solution).
	, , , , , , , , , , , , , , , , , , , ,
Other information	N/A

5.3 Advice for firefighters

Wear protective clothing containing self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation
	Eye Protection: Wear goggles or safety glasses
Protective equipment	Hand protection: Wear latex or vinyl gloves
	Other protective equipment: Use lab coat or apron to prevent contact
	with eyes, skin and clothing
Emergency procedures	N/A
For emergency responders	N/A

6.2 Environmental precautions

Do not allow to enter sewage system

6.3 Methods and material for containment and cleaning up

For containment	N/A
For cleaning up	Use universal precautions during clean up procedures. As a precautionary



Doc ID: SDS-0069	Effective Date: December 03, 2015	Revision: B
Trade name	PermaRed/HRP™	

	measure, treat spilled material with a 1:10 bleach/water solution. Use
	liquid absorbent material to absorb liquid and place in container suitable
	for disposal. Avoid generation of aerosols during clean up. Comply with
	applicable waste disposal regulations.
Other information	N/A

6.4 Reference to other sections

N/A

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire	N/A
Measures to prevent	N/A
aerosol and dust	
generation	
Measures to protect the	N/A
environment	
Advice on general occupational hygiene	Universal precautions should be followed when using this product. Wear personal protective equipment. Ensure adequate ventilation. Do not breathe vapors or spray mist. Avoid contact with skin and eyes. Do not ingest. Do not eat, drink when handling this product, and wash hands after handling.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions	Store at 2°C to 8°C
Packaging materials	N/A
Requirements for storage rooms and vessels	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Storage class	N/A
Other information	N/A

7.3 Specific end use(s)

Recommendations	N/A
Industrial sector specific solutions	N/A



Doc ID: SDS-0069	Effective Date: December 03, 2015	Revision: B
Trade name	PermaRed/HRP™	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

N/A

8.2 Exposure controls

O.E Exposure controls	
Respiratory Protection	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator
Skin and body protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Eye/face Protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Hygiene Measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	liquid
Odor	N/A
Order Threshold	N/A
pH	N/A
Melting Point/ Freezing Point	N/A



Doc ID: SDS-0069	Effective Date: December 03, 2015	Revision: B
Trade name	PermaRed/HRP™	

Initial Boiling Point/ Freezing Point	N/A
Flash Point	N/A
Evaporation Rate	N/A
Flammability	N/A
Upper/Lower Flammability or Explosive Limits	N/A
Vapor Pressure	N/A
Vapor Density	N/A
Relative Density	N/A
Solubility	N/A
Partition Coefficient: n-octanol/water	N/A
Auto-Ignition Temperature	N/A
Decomposition temperature	N/A
Viscosity	N/A
Explosive Properties	N/A
Oxidizing Properties	N/A

9.2 Other Information

N/A

Section 10: Stability and Reactivity

10.1 Reactivity

N/A

10.2 Chemical Stability

Stable under recommended storage conditions

10.3 Possibility of Hazardous Reactions

N/A

10.4 Conditions to Avoid

Strong prolonged heat and contact with incompatible materials

10.5 Incompatible Materials

Strong Acids, Strong Bases, Strong Oxidizers, Metals and Metallic compounds

10.6 Hazardous Decomposition Products

N/A

SECTION 11: Toxicological Information

COMPONENT 1 (K 075C)	
2,6 dihydroxynapthalene (in pure form): N/A	
Common route of entry	N/A
Potential Effects of Acute	N/A



Doc ID: SDS-0069	Effective Date: December 03, 2015	Revision: B
Trade name	PermaRed/HRP™	

Potential Effects of Chronic Exposure Symptoms of Overexposure 3,4 diaminobenzoic acid (in pure form): N/A Common route of entry Potential Effects of Acute Exposure 9,4 dicholoro-1-napthol (in pure form): N/A Common route of entry Potential Effects of Acute Exposure Potential Effects of Acute Exposure Potential Effects of Acute Exposure Potential Effects of Chronic Exposure N/A N/A N/A N/A Potential Effects of Acute Exposure Potential Effects of Chronic Exposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Potential Effects of Acute Exposure Potential Effects of Chronic Exposure Symptoms of Chronic Exposure Potential Effects of Acute Exposure Symptoms of Chronic Exposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Potential Effects of Acute Exposure Symptoms of Chronic Exposure Potential Effects of Acute Exposure Symptoms of Overexposure Component 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	_			
Symptoms of Overexposure 3,4 diaminobenzoic acid (in pure form): N/A Common route of entry Potential Effects of Acute Exposure Potential Effects of Overexposure 2,4 dicholoro-1-napthol (in pure form): N/A Potential Effects of Acute Exposure 3,4 dicholoro-1-napthol (in pure form): N/A Common route of entry Potential Effects of Acute Exposure Potential Effects of Acute Exposure Potential Effects of Acute N/A Common route of entry N/A Potential Effects of Acute Exposure N/A Overexposure N/A Overexposure N/A Overexposure N/A Overexposure N/A Overexposure Potential Effects of Chronic Exposure Exposure Potential Effects of Chronic Exposure Symptoms of Chronic Exposure Symptoms of Overexposure Potential Effects of Chronic Exposure Symptoms of Overexposure Symptoms of Overexposure Component and eventually permanent damage to the nervous system, including the brain. May cause harm to unborn child. N/A Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Exposure			
Symptoms of Overexposure 3,4 diaminobenzoic acid (in pure form): N/A Common route of entry Potential Effects of Acute Exposure Symptoms of Overexposure 2,4 dicholoro-1-napthol (in pure form): N/A Common route of entry N/A Potential Effects of Acute Exposure Potential Effects of Acute Exposure Potential Effects of Acute Exposure N/A Common route of entry N/A Potential Effects of Acute Exposure N/A N/A N/A N/A N/A N/A N/A N/		N/A		
Overexposure 3,4 diaminobenzoic acid (in pure form): N/A Common route of entry Potential Effects of Acute Exposure 3,7 diaminobenzoic acid (in pure form): N/A Potential Effects of Chronic Exposure Symptoms of Overexposure 2,4 dicholoro-1-napthol (in pure form): N/A Common route of entry Potential Effects of Acute Exposure Potential Effects of Acute Exposure N/A N/A N/A N/A N/A N/A N/A N/	•			
3,4 diaminobenzoic acid (in pure form): N/A Common route of entry Potential Effects of Acute Exposure Potential Effects of Chronic Exposure 3,4 dicholoro-1-napthol (in pure form): N/A Common route of entry Potential Effects of Chronic Exposure Potential Effects of Acute Exposure Potential Effects of Chronic Exposure N/A N/A Potential Effects of Chronic Exposure N/A N/A N/A N/A N/A N/A N/A N/	Symptoms of	N/A		
Common route of entry Potential Effects of Acute Exposure Potential Effects of Chronic Exposure 2,4 dicholoro-1-napthol (in pure form): N/A Common route of entry Potential Effects of Chronic Exposure Potential Effects of Chronic Exposure N/A Potential Effects of Chronic Exposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Potential Effects of Chronic Exposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Potential Effects of Chronic Exposure Potential Effects of Chronic Exposure Symptoms of Chronic Exposure Tocument inhalation of small concentrations may cause irritability, fatigue and memory failure and eventually permanent damage to the nervous system, including the brain. May cause harm to unborn child. N/A COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	•			
Potential Effects of Acute Exposure Potential Effects of N/A Chronic Exposure Symptoms of Overexposure 2,4 dicholoro-1-napthol (in pure form): N/A Common route of entry Potential Effects of Acute Exposure Potential Effects of Chronic Exposure N/A N/A N/A Potential Effects of Chronic Exposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Potential Effects of Acute Exposure Potential Effects of Acute Exposure Potential Effects of Chronic Exposure Symptoms of Overexposure Component of Chronic Exposure Symptoms of Overexposure Trequent inhalation of small concentrations may cause irritability, fatigue and memory failure and eventually permanent damage to the nervous system, including the brain. May cause harm to unborn child. N/A Component 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	3,4 diaminobenzoic acid (in pure form): N/A		
Potential Effects of Chronic Exposure Symptoms of Overexposure 2,4 dicholoro-1-napthol (in pure form): N/A Common route of entry Potential Effects of Acute Exposure Potential Effects of Chronic Exposure N/A N/A N/A Potential Effects of Chronic Exposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Potential Effects of Acute Exposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Potential Effects of Acute Exposure Symptoms of Chronic Exposure Potential Effects of Cute Exposure Symptoms of Overexposure Symptoms of Chronic Exposure Symptoms of Overexposure Trequent inhalation of small concentrations may cause irritability, fatigue and memory failure and eventually permanent damage to the nervous system, including the brain. May cause harm to unborn child. N/A Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this		N/A		
Potential Effects of Chronic Exposure Symptoms of Overexposure 2,4 dicholoro-1-napthol (in pure form): N/A Common route of entry N/A Potential Effects of Acute Exposure Potential Effects of Chronic Exposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Ingestion Potential Effects of Acute Exposure Potential Effects of Acute It causes mild skin irritation and serious eye irritation. It is not a skin sensitizer. Potential Effects of Chronic Exposure Symptoms of Chronic Exposure Symptoms of Overexposure Symptoms of Overexposure COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Potential Effects of Acute	N/A		
Symptoms of Overexposure 2,4 dicholoro-1-napthol (in pure form): N/A Common route of entry N/A Potential Effects of Acute Exposure Potential Effects of N/A Common route of entry N/A Potential Effects of N/A Chronic Exposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Ingestion Potential Effects of Acute Exposure Potential Effects of Chronic Exposure Symptoms of Chronic Exposure Potential Effects of Acute Exposure Symptoms of Chronic Exposure Potential Effects of Chronic Exposure Symptoms of Overexposure Componential Effects of Chronic Exposure Symptoms of Overexposure Trequent inhalation of small concentrations may cause irritability, fatigue and memory failure and eventually permanent damage to the nervous system, including the brain. May cause harm to unborn child. N/A Component 2 (k 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Exposure			
Symptoms of Overexposure 2,4 dicholoro-1-napthol (in pure form): N/A Common route of entry N/A Potential Effects of Acute Exposure Potential Effects of Chronic Exposure Symptoms of Overexposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Ingestion Potential Effects of Acute Exposure Potential Effects of Acute Exposure Potential Effects of Acute Exposure Symptoms of Overexposure Potential Effects of Chronic Exposure Symptoms of Overexposure Symptoms of Overexposure Componer of Chronic Exposure Symptoms of Overexposure Symptoms of Overexposure Componer of Chronic Exposure Symptoms of Overexposure Trequent inhalation of small concentrations may cause irritability, fatigue and memory failure and eventually permanent damage to the nervous system, including the brain. May cause harm to unborn child. N/A Componer of Chronic Exposure Symptoms of Overexposure Componer 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Potential Effects of	N/A		
Overexposure 2,4 dicholoro-1-napthol (in pure form): N/A Common route of entry N/A Potential Effects of Acute Exposure Potential Effects of Chronic Exposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Ingestion Potential Effects of Acute Exposure Potential Effects of Acute Exposure Order of Acute Exposure Potential Effects of Chronic Exposure Symptoms of Chronic Exposure Symptoms of Overexposure Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Chronic Exposure			
2,4 dicholoro-1-napthol (in pure form): N/A Common route of entry N/A Potential Effects of Acute Exposure Potential Effects of Chronic Exposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Ingestion Potential Effects of Acute Exposure Order Sposure Potential Effects of Acute Exposure Symptoms of Chronic Exposure Symptoms of Chronic Exposure Symptoms of Chronic Exposure Symptoms of Overexposure Trequent inhalation of small concentrations may cause irritability, fatigue and eventually permanent damage to the nervous system, including the brain. May cause harm to unborn child. N/A Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Symptoms of	N/A		
Common route of entry N/A Potential Effects of Acute Exposure Potential Effects of Chronic Exposure Symptoms of Overexposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Ingestion Potential Effects of Acute Exposure Potential Effects of Chronic Exposure Potential Effects of Chronic Exposure Symptoms of Overexposure Symptoms of Overexposure Chronic Exposure Symptoms of Overexposure Component of Chronic Exposure Symptoms of Overexposure Component of Chronic Exposure Tomponent of Chronic Exposure Component of Chronic Exposure Component of Chronic Exposure Tomponent of Chronic Exposure Component of Chronic Exposure Component of Chronic Exposure Tomponent of Component of Chronic Exposure Component of Co	Overexposure			
Potential Effects of Acute Exposure Potential Effects of Chronic Exposure Symptoms of Overexposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Potential Effects of Acute Exposure Potential Effects of Chronic Exposure Potential Effects of Chronic Exposure Symptoms of Overexposure COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion COMPONENT 2 (N 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	2,4 dicholoro-1-napthol (i	in pure form): N/A		
Potential Effects of Chronic Exposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Ingestion Potential Effects of Acute Exposure Potential Effects of Chronic Exposure Symptoms of Chronic Exposure Symptoms of Overexposure COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Common route of entry	N/A		
Potential Effects of Chronic Exposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Ingestion Potential Effects of Acute Exposure Potential Effects of Chronic Exposure Symptoms of Overexposure COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Potential Effects of Acute	N/A		
Symptoms of Overexposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Ingestion Potential Effects of Acute Exposure Potential Effects of Chronic Exposure Symptoms of Overexposure COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Exposure			
Symptoms of Overexposure N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Ingestion Potential Effects of Acute Exposure Potential Effects of Chronic Exposure Potential Effects of Chronic Exposure Symptoms of Overexposure COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Potential Effects of	N/A		
N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Ingestion Potential Effects of Acute Exposure Frequent inhalation of small concentrations may cause irritability, fatigue and memory failure and eventually permanent damage to the nervous system, including the brain. May cause harm to unborn child. Symptoms of Overexposure COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Chronic Exposure			
N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg Common route of entry Ingestion Potential Effects of Acute Exposure Frequent inhalation of small concentrations may cause irritability, fatigue and memory failure and eventually permanent damage to the nervous system, including the brain. May cause harm to unborn child. Symptoms of Overexposure OVERNIT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Symptoms of	N/A		
Common route of entry Ingestion Potential Effects of Acute Exposure It causes mild skin irritation and serious eye irritation. It is not a skin sensitizer. Potential Effects of Chronic Exposure Frequent inhalation of small concentrations may cause irritability, fatigue and memory failure and eventually permanent damage to the nervous system, including the brain. May cause harm to unborn child. Symptoms of Overexposure N/A COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Overexposure			
Potential Effects of Acute Exposure Potential Effects of Chronic Exposure Symptoms of Overexposure COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Potential Effects of Acute Potential Effects of Acute The product contains <0.1% of Proclin 300™ (in a skin irritation and serious eye irritation. It is not a skin sensitizer. Frequent inhalation of small concentrations may cause irritability, fatigue and memory failure and eventually permanent damage to the nervous system, including the brain. May cause harm to unborn child. N/A COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	N-N-Dimethylformamide (in pure form): mouse LD50 oral 2800mg/kg			
Potential Effects of Chronic Exposure Symptoms of Overexposure COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Potential Effects of Acute Potential Effects of Acute Sensitizer. Frequent inhalation of small concentrations may cause irritability, fatigue and memory failure and eventually permanent damage to the nervous system, including the brain. May cause harm to unborn child. N/A COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Common route of entry	Ingestion		
Potential Effects of Chronic Exposure Frequent inhalation of small concentrations may cause irritability, fatigue and memory failure and eventually permanent damage to the nervous system, including the brain. May cause harm to unborn child. Symptoms of Overexposure	Potential Effects of Acute	It causes mild skin irritation and serious eye irritation. It is not a skin		
And memory failure and eventually permanent damage to the nervous system, including the brain. May cause harm to unborn child. Symptoms of Overexposure COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Exposure	sensitizer.		
Chronic Exposure and memory failure and eventually permanent damage to the nervous system, including the brain. May cause harm to unborn child. N/A COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this		Frequent inhalation of small concentrations may cause irritability, fatigue		
Symptoms of Overexposure COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this		and memory failure and eventually permanent damage to the nervous		
Overexposure COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Chronic Exposure	system, including the brain. May cause harm to unborn child.		
COMPONENT 2 (K 075B) Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Symptoms of	N/A		
Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%) Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Overexposure			
Common route of entry Ingestion The product contains <0.1% of Proclin 300™ which corresponds to Potential Effects of Acute <0.0015% of its active ingredients. At this low final concentration, this				
The product contains <0.1% of Proclin 300™ which corresponds to <0.0015% of its active ingredients. At this low final concentration, this	Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg (100%)			
Potential Effects of Acute <0.0015% of its active ingredients. At this low final concentration, this	Common route of entry	Ingestion		
	Potential Effects of Acute Exposure	The product contains <0.1% of Proclin 300 [™] which corresponds to		
Exposure biocidal preservative is irritating to eves and skin and may be detrimental if		<0.0015% of its active ingredients. At this low final concentration, this		
F		biocidal preservative is irritating to eyes and skin and may be detrimental if		
enough is ingested (quantities above those found in the kit).				
Potential Effects of It is a skin sensitizer; prolonged or repeated exposure may cause allergic	Potential Effects of	It is a skin sensitizer; prolonged or repeated exposure may cause allergic		
Chronic Exposure reaction in certain sensitive individuals.	Chronic Exposure	reaction in certain sensitive individuals.		
Symptoms of Allergic skin reaction	Symptoms of	Allergic skin reaction		
Overexposure	Overexposure			



Doc ID: SDS-0069	Effective Date: December 03, 2015	Revision: B
Trade name	PermaRed/HRP™	

COMPONENT 3 (K 075ST)			
3-methyl-2-benzothaizolinone hydrate (in pure form): N/A			
Common route of entry	N/A		
Potential Effects of Acute	N/A		
Exposure			
Potential Effects of	N/A		
Chronic Exposure			
Symptoms of	N/A		
Overexposure			

SECTION 12: Ecological Information

12.1 Toxicity

N/A

12.2 Persistence and Degradability

N/Δ

12.3 Bioaccumulative potential

N/A

12.4 Mobility in Soil

N/A

12.5 Results of PBT and vPvB Assessment

N/A

12.6 Other Adverse Effects

N/A

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



Doc ID: SDS-0069	Effective Date: December 03, 2015	Revision: B
Trade name	PermaRed/HRP™	

SECTION 14: Transport Information

14.1 Un Number

N/A

14.2 Un Proper Shipping Name

N/A

14.3 Transport Hazard Class (es)

N/A

14.4 Packing Group

N/A

14.5 Environmental Hazards

N/A

14.6 Special Precautions for User

N/A

14.7 Transport in Bulk according to Annex II of MARPOL73/78 and the IBC Code

N/A

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product does not contain a hazardous ingredient in an amount that requires identification and labeling according to EC directives.

15.2 Chemical Safety Assessment

N/A

SECTION 16: Other Information

This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information of their particular purposes.