

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Peroxidase Mouse & Rabbit Kit (DAB Liquid) (EU)

Product number KP-50L, KP-500

Brand Peroxidase Mouse & Rabbit Kit (DAB Liquid)

Other means of identification

Component 1 (Hydrogen Peroxide)

Component 2 (Ready to use Linker Reagent)
Component 3 (Ready to use HRP Tracer Reagent)
Component 4 (Stable DAB/Plus Chromogen)
Component 5 (Stable DAB/Plus Substrate Buffer)

1.2 Relevant identified uses of the substance or mixture and uses advised against

In Vitro Diagnostic Use

1.3 Details of the supplier of the safety data sheet

Name Diagnostic Biosystems Address 6616 Owens Drive Pleasanton CA 94588

USA

Telephone (888) 896-3350

email customersupport@dbiosys.com

1.4 Emergency telephone number

(925) 484-3350 (9AM-6PM, Monday - Friday, Pacific Standard Time)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

- Acute toxicity, dermal (chapter 3.1), Cat. 5, H313
- Acute toxicity, inhalation (chapter 3.1), Cat. 5, H333
- Acute toxicity, oral (chapter 3.1), Cat. 5, H303

- Carcinogenicity (chapter 3.6), Cat. 1B, H350
- Germ cell mutagenicity (chapter 3.5), Cat. 2, H341
- Serious eye damage/eye irritation (chapter 3.3), Cat. 1, H318
- Skin corrosion/irritation (chapter 3.2), Cat. 2, H315
- Toxic to reproduction (chapter 3.7), Cat. 1B, H360

For the full text corresponding to the "H"-codes displayed in this section, refer to Section 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms







1. Exclamation mark; 2. Health hazard; 3. Corrosion

Signal word Danger

ы	070r	4 040	10 m	ents
н	azaro	7 ST2	item	ents

· ·u=u· u otuto:::o	
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H332	Harmful if inhaled
H341	Suspected of causing genetic defects
H350	May cause cancer
H360	May damage fertility or the unborn child

Precautionary statements

P201	Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor.
P312 Call a POISON CENTER/doctor if you feel unwell.
P332+P313 If skin irritation occurs: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container to a licensed disposal company.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Component 1.

1. Hydrogen peroxide

Concentration 1 - 3 % (volume)

Other names / synonyms ALBONE; DIHYDROGEN DIOXIDE; HYDROGEN DIOXIDE; HYDROGEN

PEROXIDE; Hydrogen peroxide (H2O2); hydrogen peroxide solution;

hydrogen peroxide solution; HYDROGEN PEROXIDE SOLUTION; Hydrogen peroxide, and other compounds or mixtures that release hydrogen peroxide, including carbamide peroxide and zinc peroxide; Hydrogenii peroxidum; HYDROGENPEROXIDE; HYDROPEROXIDE; PEROXIDE; SUPEROXOL;

T-STUFF

EC no. 231-765-0 CAS no. 7722-84-1 Index no. 008-003-00-9

- Acute toxicity, inhalation (chapter 3.1), Cat. 4

- Acute toxicity, oral (chapter 3.1), Cat. 4

- Oxidizing liquids (chapter 2.13), Cat. 1

- Skin corrosion/irritation (chapter 3.2), Cat. 1A

H271 May cause fire or explosion; strong oxidizer

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H332 Harmful if inhaled

SCLs/M-factors/ATEs Ox. Liq. 1; H271: C ≥ 70 %****

Ox. Liq. 2; H272: 50 % ≤ C < 70 % ****

*

Skin Corr. 1A; H314: C ≥ 70 %

Skin Corr. 1B; H314: $50 \% \le C < 70 \%$ Skin Irrit. 2; H315: $35 \% \le C < 50 \%$ Eye Dam. 1; H318: $8 \% \le C < 50 \%$ Eye Irrit. 2; H319: $5 \% \le C < 8 \%$ STOT SE 3; H335; $C \ge 35 \%$

Component 2.
1. Polysorbate 21

Concentration < 0.1 % (volume)

Other names / synonyms Polyoxyethylene sorbitan monolaurate: Polysorbate 20: Sorbitan,

monododecanoate, poly(oxy-1,2-ethanediyl) derivs; Sorbitan, monododecanoate, poly(oxy-1,2-ethanediyl) derivs.; Tween 20

EC no. 500-018-3 CAS no. 9005-64-5

2. SODIUM AZIDE

Concentration 0.1 % (weight)

Other names / synonyms Sodium azide (Na(N3))

EC no. 247-852-1

CAS no. 26628-22-8 Index no. 011-004-00-7

- Acute toxicity, dermal (chapter 3.1), Cat. 1
- Acute toxicity, inhalation (chapter 3.1), Cat. 2
- Acute toxicity, oral (chapter 3.1), Cat. 2
- Specific target organ toxicity, repeated exposure (chapter 3.9), Cat. 2
- Hazardous to the aquatic environment, short-term (acute) (chapter 4.1), Cat. 1
- Hazardous to the aquatic environment, long-term (chronic) (chapter 4.1), Cat. 1

Component 3. 1. Polysorbate 21

Concentration < 0.1 % (volume)

Other names / synonyms Polyoxyethylene sorbitan monolaurate; Polysorbate 20; Sorbitan,

monododecanoate, poly(oxy-1,2-ethanediyl) derivs; Sorbitan,

monododecanoate, poly(oxy-1,2-ethanediyl) derivs.; Tween 20

EC no. 500-018-3 CAS no. 9005-64-5

2. SODIUM AZIDE

Concentration 0.1 % (weight)

Other names / synonyms Sodium azide (Na(N3))

EC no. 247-852-1 CAS no. 26628-22-8 Index no. 011-004-00-7

- Acute toxicity, dermal (chapter 3.1), Cat. 1
- Acute toxicity, inhalation (chapter 3.1), Cat. 2
- Acute toxicity, oral (chapter 3.1), Cat. 2
- Specific target organ toxicity, repeated exposure (chapter 3.9), Cat. 2
- Hazardous to the aquatic environment, short-term (acute) (chapter 4.1), Cat. 1
- Hazardous to the aquatic environment, long-term (chronic) (chapter 4.1), Cat. 1

Component 4.

1. 3,3'-Diaminobenzidine tetrahydrochloride hydrate

Concentration < 5 % (weight), 4 CAS no. 868272-85-9

- Eye damage/irritation (chapter 3.3), Cat. 2
- Acute toxicity, oral (chapter 3.1), Cat. 4
- Carcinogenicity (chapter 3.6), Cat. 1B
- Germ cell mutagenicity (chapter 3.5), Cat. 2

H341 Suspected of causing genetic defects

H350 May cause cancer

Component 5.

1. Imidazole

Concentration < 0.5 % (weight)

Other names / synonyms 1H-Imidazole; EC no. 206-019-2 CAS no. 288-32-4 Index no. 613-319-00-0

Reproductive toxicity (chapter 3.7), Cat. 1B
Acute toxicity, oral (chapter 3.1), Cat. 4
Skin corrosion/irritation (chapter 3.2), Cat. 1C

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H360D May damage the unborn child

2. Polysorbate 21

Concentration < 0.1 % (volume)

Other names / synonyms Polyoxyethylene sorbitan monolaurate; Polysorbate 20; Sorbitan,

monododecanoate, poly(oxy-1,2-ethanediyl) derivs; Sorbitan, monododecanoate, poly(oxy-1,2-ethanediyl) derivs.; Tween 20

EC no. 500-018-3 CAS no. 9005-64-5

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes Consult a physician. Show this safety data sheet to the doctor in attendance.

Following inhalation If breathed in, move person into fresh air. If not breathing, give artificial

respiration.

Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Rinse mouth with water. Consult a physician.

Following skin contact Rinse with plenty of water. Get medical attention if irritation develops and

persists.

Following eye contact Rinse thoroughly with plenty of water for at least 15 minutes. Get medical

attention if symptoms occur.

Following ingestion Call a poison center or doctor if you feel unwell. If vomiting occurs naturally,

have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything

by mouth to an unconscious person.

Version: SDS-0049-EU, Revision: A, Date of issue: 2022-12-02, p. 5 of 12

Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Self-protection of the first aider

Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Use extinguishing media appropriate for surrounding fire.

5.2 Special hazards arising from the substance or mixture

SODIUM AZIDE: Sodium oxides

3,3'-Diaminobenzidine: Carbon oxides, Nitrogen oxides (NOx)

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Should not be released into the environment. See Section 12 for additional ecological information.

6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS: 26628-22-8 (EC: 247-852-1)

Sodium azide

ACGIH: 0.29 mg/m3 (C); 0.1 ppm (C) hydrazoic acid vapor TLV® inhalation; NIOSH: 0.29 mg/m3 (C); 0.1 ppm (C) hydrazoic acid vapor REL-C inhalation

CAS: 7722-84-1

Hydrogen peroxide

ACGIH (USA): 1 ppm TLV® inhalation; Cal/OSHA (USA): 1 ppm PEL inhalation; NIOSH (USA): 1 ppm REL inhalation; OSHA (USA): 1 ppm PEL inhalation; 1.4 mg/m3 PEL inhalation

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Individual protection measures, such as personal protective equipment

Pictograms







Eye and face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Safety Data Sheet

Peroxidase Mouse & Rabbit Kit (DAB Liquid) (EU)

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available

Control banding approach

No data available.

Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid **Appearance** Clear Colour Colorless Odour Odorless

Odour threshold No data available.

Hq Varies

Melting point/freezing point No data available. Boiling point or initial boiling point and boiling range No data available. Flash point No data available. Evaporation rate No data available. Flammability No data available. Lower and upper explosion limit/flammability limit No data available. Vapor pressure No data available. Relative vapor density No data available. Density and/or relative density No data available. Solubility No data available. Partition coefficient n-octanol/water (log value) No data available. Auto-ignition temperature No data available. Decomposition temperature No data available. Kinematic viscosity No data available.

Particle characteristics

No data available.

Explosive properties

Oxidizing properties

9.2 Other information

9.2.1 Information with regard to physical hazard classes

No data available.

9.2.2 Other safety characteristics

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

No data available.

None under normal use conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

None under normal use conditions.

10.4 Conditions to avoid

Exposure to moisture.

Avoid storing in direct sunlight and avoid extremes of temperature.

Heat, flames and sparks.

10.5 Incompatible materials

Hydrogen peroxide: Zinc, Powdered metals, Iron, Copper, Nickel, Brass, Iron and iron salts.

Polyoxyethylene sorbitan monolaurate: Strong oxidizing agents

10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

Hydrogen peroxide: Hazardous decomposition products formed under fire conditions. - Nature of decomposition products not known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

The ATE (dermal) of the mixture is: 5000 mg/kg bw

The ATE (gas inhalation) of the mixture is: 60000 ppmV

The ATE (oral) of the mixture is: 2777.78 mg/kg bw

3,3'-Diaminobenzidine LD50 Oral - Mouse - 1,834 mg/kg

Polyoxyethylene sorbitan monolaurate LD50 Oral - Rat - 40,554.0 mg/kg

Sodium azide

LD50 Oral - Rat - 27 mg/kg

Skin corrosion/irritation

Sodium azide

LD50 Skin - Rat - 20 mg/kg

Serious eye damage/irritation

Risk of serious damage to eyes.

Respiratory or skin sensitization

Sodium azide

LC50 Inhalation - Rat - 0.054 - 0.52 mg/l - 4 hr

Germ cell mutagenicity

Germ cell mutagenicity

Carcinogenicity

3,3'-Diaminobenzidine

Oral - Rat

Result: Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Skin and Appendages: Other: Tumors.

Presumed to have carcinogenic potential for humans

Reproductive toxicity

May damage the unborn child

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Polyoxyethylene sorbitan monolaurate

LC50 - Other fish - 350 mg/l - 24 h

Sodium azide

LC50 - Oncorhynchus mykiss (rainbow trout) - 2.96 mg/l - 96 h

Sodium azide

EC50 - Pseudokirchneriella subcapitata (green algae) - 0.348 mg/l - 96 h

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product disposal

Offer surplus and non-recyclable solutions to a licensed disposal company.

Packaging disposal

Dispose of as unused product.

Waste treatment

No data available

Sewage disposal

Do not let product enter drains

Other disposal recommendations

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

SECTION 14: Transport information

14.1	UN Number	None
14.2	UN Proper Shipping Name	None
14.3	Transport hazard class(es)	None
14.4	Packing group	None
14.5	Environmental hazards	None
14.6	Special precautions for user	None
14.7	Maritime transport in bulk according to IMO instruments	None

SECTION 15: Regulatory information

15.2 Chemical Safety Assessment

The supplier of this product has not conducted any Chemical Safety Assessment

SECTION 16: Other information

Full text of hazard statements referenced in Section 2

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage
H333	May be harmful if inhaled
H341	Suspected of causing genetic defects

Version: SDS-0049-EU, Revision: A, Date of issue: 2022-12-02, p. 11 of 12

H350 May cause cancer

H360 May damage fertility or the unborn child

SDS-0049, Rev. D

Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Diagnostic BioSystems be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Diagnostic BioSystems has been advised of the possibility of such damages.