

Safety Data Sheet
Calcium Stain Kit (Modified Von Kossa) (OSHA)



Safety Data Sheet
Calcium Stain Kit (Modified Von Kossa) (OSHA)

SECTION 1: Identification

1.1 GHS Product identifier

Product name Calcium Stain Kit (Modified Von Kossa) (OSHA)
Product number KT028
Brand Calcium Stain Kit (Modified Von Kossa)

1.2 Other means of identification

Trade name	Calcium Stain Kit (Modified Von Kossa)	
Cat ##	KT028	
Kit Component	Volume	Storage
1. Sodium Thiosulfate Solution (5%)	125 ml	15-30°C
2. Nuclear Fast Red Solution	125 ml	15-30°C
3. Silver Nitrate Solution (5%)	125 ml	2-8°C

1.3 Recommended use of the chemical and restrictions on use

In Vitro Diagnostic Use

1.4 Supplier's details

Name Diagnostic Biosystems
Address 6616 Owens Drive
Pleasanton CA 94588
USA

Telephone (888) 896-3350
email customersupport@dbiosys.com

1.5 Emergency phone number

(925) 484-3350 (9AM-6PM, Monday - Friday, Pacific Standard Time)

SECTION 2: Hazard identification

General hazard statement

For Professional Users Only

2.1 Classification of the substance or mixture

Safety Data Sheet

Calcium Stain Kit (Modified Von Kossa) (OSHA)

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

- Acute toxicity, dermal (chapter 3.1), Cat. 5
- Acute toxicity, inhalation (chapter 3.1), Cat. 5
- Acute toxicity, oral (chapter 3.1), Cat. 5
- Eye damage/irritation (C.4.5), Cat. 1
- Skin corrosion/irritation (C.4.4), Cat. 1B

2.2 GHS label elements, including precautionary statements

Pictogram



1. Exclamation mark; 2. Corrosion

Signal word

Danger

Hazard statement(s)

H314
H317
H318
H332

Causes severe skin burns and eye damage
May cause an allergic skin reaction
Causes serious eye damage
Harmful if inhaled

Precautionary statement(s)

P260
P261
P264
P271
P272
P280
P301+P330+P331
P302+P352
P303+P361+P353

P304+P340
P305+P351+P338

P310
P312
P333+P313
P362+P364
P363
P405
P501

Do not breathe dust/fume/gas/mist/vapors/spray.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Wash hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN: Wash with plenty of water.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Call a POISON CENTER/doctor if you feel unwell.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container to a licensed disposal company.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Component 1

1. Sodium thiosulfate

Safety Data Sheet

Calcium Stain Kit (Modified Von Kossa) (OSHA)

Concentration	<= 5 % (weight)
Other names / synonyms	Natrii thiosulfas; Sodium thiosulphate; Thiosulfuric acid (H ₂ S ₂ O ₃), disodium salt; Thiosulfuric acid (H ₂ S ₂ O ₃), disodium salt, pentahydrate; Thiosulfuric acid (H ₂ S ₂ O ₃), sodium salt (1:2)
CAS no.	7772-98-7

Component 2

1. Aluminum Sulfate Hydrate

Concentration	<= 5 % (weight)
CAS no.	17927-65-0

2. Nuclear Fast Red

Concentration	<= 0.2 % (weight)
Other names / synonyms	2-Anthracenesulfonic acid, 4-amino-9,10-dihydro-1,3-dihydroxy-9,10-dioxo-, monosodium salt;
CAS no.	6409-77-4

3. SODIUM AZIDE

Concentration	<= 0.1 % (weight)
Other names / synonyms	Sodium azide (Na(N ₃))
EC no.	247-852-1
CAS no.	26628-22-8
Index no.	011-004-00-7

- Acute toxicity, dermal (C.4.2), Cat. 1
- Acute toxicity, inhalation (C.4.3), Cat. 2
- Acute toxicity, oral (C.4.1), Cat. 2
- Specific target organ toxicity (repeated exposure) (C.4.12), Cat. 2
- Hazardous to the aquatic environment, short-term (acute) (chapter 4.1), Cat. 1
- Hazardous to the aquatic environment, long-term (chronic) (chapter 4.1), Cat. 1

Component 3

1. Silver nitrate

Concentration	<= 5 % (weight)
Other names / synonyms	Argenti nitras; Nitric acid silver(1++) salt;
EC no.	231-853-9
CAS no.	7761-88-8
Index no.	047-001-00-2

- Oxidizing solids (C.4.27), Cat. 2

Safety Data Sheet

Calcium Stain Kit (Modified Von Kossa) (OSHA)

- Skin corrosion/irritation (C.4.4), Cat. 1B
- Hazardous to the aquatic environment, short-term (acute) (chapter 4.1), Cat. 1
- Hazardous to the aquatic environment, long-term (chronic) (chapter 4.1), Cat. 1

H272	May intensify fire; oxidizer
H314	Causes severe skin burns and eye damage
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
In case of skin contact	Rinse with plenty of water. Get medical attention if irritation develops and persists.
In case of eye contact	Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
If swallowed	Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.
Personal protective equipment for first-aid responders	Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use extinguishing media appropriate for surrounding fire.

5.2 Specific hazards arising from the chemical

Safety Data Sheet

Calcium Stain Kit (Modified Von Kossa) (OSHA)

SODIUM AZIDE: Sodium oxides

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Should not be released into the environment. See Section 12 for additional ecological information.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS: 26628-22-8 (EC: 247-852-1)

Sodium azide

ACGIH: 0.29 mg/m³ (C); 0.1 ppm (C) hydrazoic acid vapor TLV® inhalation; NIOSH: 0.29 mg/m³ (C); 0.1 ppm (C) hydrazoic acid vapor REL-C inhalation

Safety Data Sheet

Calcium Stain Kit (Modified Von Kossa) (OSHA)

8.2 Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Pictograms



Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available

Control banding approach

No data available.

Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Liquid
Appearance	Clear
Color	Colorless
Odor	Odorless
Odor threshold	No data available.
pH	No data available.
Melting point/freezing point	No data available.
Boiling point or initial boiling point and boiling range	No data available.
Flash point	No data available.
Evaporation rate	No data available.
Flammability	No data available.
Lower and upper explosion limit/flammability limit	No data available.
Vapor pressure	No data available.
Relative vapor density	No data available.
Density and/or relative density	No data available.

Safety Data Sheet

Calcium Stain Kit (Modified Von Kossa) (OSHA)

Solubility	No data available.
Partition coefficient n-octanol/water (log value)	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Kinematic viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.

Particle characteristics

No data available.

Supplemental information regarding physical hazard classes

No data available.

Further safety characteristics (supplemental)

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

None under normal use conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

None under normal use conditions.

10.4 Conditions to avoid

Exposure to moisture.

Avoid storing in direct sunlight and avoid extremes of temperature.

Heat, flames and sparks.

10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

The ATE (dermal) of the mixture is: 5000 mg/kg bw

The ATE (gas inhalation) of the mixture is: 100000 ppmV

The ATE (oral) of the mixture is: 5000 mg/kg bw

Sodium azide

LD50 Oral - Rat - 27 mg/kg

Skin corrosion/irritation

Sodium azide

Safety Data Sheet

Calcium Stain Kit (Modified Von Kossa) (OSHA)

LD50 Skin - Rat - 20 mg/kg

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Sodium azide

LC50 Inhalation - Rat - 0.054 - 0.52 mg/l - 4 hr

Germ cell mutagenicity

Based on available data, classification data are not met

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Based on available data, classification data are not met

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

Additional information

No data available.

SECTION 12: Ecological information

Toxicity

Sodium azide

LC50 - Oncorhynchus mykiss (rainbow trout) - 2.96 mg/l - 96 h

Sodium azide

EC50 - Pseudokirchneriella subcapitata (green algae) - 0.348 mg/l - 96 h

Persistence and degradability

No data available.

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Results of PBT and vPvB assessment

Safety Data Sheet

Calcium Stain Kit (Modified Von Kossa) (OSHA)

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Endocrine disrupting properties

No data available.

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Disposal methods

Product disposal

Offer surplus and non-recyclable solutions to a licensed disposal company.

Packaging disposal

Dispose of as unused product.

Waste treatment

No data available

Sewage disposal

Do not let product enter drains

Other disposal recommendations

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Canadian Domestic Substances List (DSL)

Chemical name: Thiosulfuric acid (H₂S₂O₃), disodium salt

CAS: 7772-98-7

Chemical name: Thiosulfuric acid (H₂S₂O₃), disodium salt, pentahydrate

CAS: 10102-17-7

Chemical name: 2-Anthracenesulfonic acid, 4-amino-9,10-dihydro-1,3-dihydroxy-9,10-dioxo-, monosodium salt

CAS: 6409-77-4

Chemical name: Sodium azide (Na(N₃))

CAS: 26628-22-8

Chemical name: Nitric acid silver(1++) salt

Safety Data Sheet

Calcium Stain Kit (Modified Von Kossa) (OSHA)

CAS: 7761-88-8

Massachusetts Right To Know Components

Chemical name: Sodium azide (Na(N₃))

CAS number: 26628-22-8

Chemical name: Silver nitrate

CAS number: 7761-88-8

New Jersey Right To Know Components

Common name: SODIUM AZIDE

CAS number: 26628-22-8

Common name: SILVER NITRATE

CAS number: 7761-88-8

Pennsylvania Right To Know Components

Chemical name: Sodium azide

CAS number: 26628-22-8

Chemical name: Nitric acid, silver(1+) salt

CAS number: 7761-88-8

SARA 311/312 Hazards

Acute Health Hazard

Seveso Directive

Yes. H2 -acute toxic. E1


15.2 Chemical Safety Assessment

The supplier of this product has not conducted any Chemical Safety Assessment

HMIS Rating

Calcium Stain Kit (Modified Von Kossa) (OSHA)	
HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B

NFPA Rating



SECTION 16: Other information

Safety Data Sheet

Calcium Stain Kit (Modified Von Kossa) (OSHA)

SDS-0059, Rev.C

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Diagnostic BioSystems be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Diagnostic BioSystems has been advised of the possibility of such damages.