

**Safety Data Sheet
Iron Stain Kit (EU)**



**Safety Data Sheet
Iron Stain Kit (EU)**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Iron Stain Kit (EU)
Product number KT021
Brand Iron Stain Kit

1.2 Other means of identification

Kit Component	Volume	Storage
1. Potassium Ferrocyanide Solution	500 ml	15-30°C
2. Nuclear Fast Red Solution	125 ml	15-30°C
3. Hydrochloric Acid Solution	500 ml	15-30°C

1.3 Relevant identified uses of the substance or mixture and uses advised against

In Vitro Diagnostic Use

1.4 Details of the supplier of the safety data sheet

Name Diagnostic Biosystems
Address 6616 Owens Drive
Pleasanton CA 94588
USA

Telephone (888) 896-3350
email customersupport@dbiosys.com

1.5 Emergency telephone number

(925) 484-3350 (9AM-6PM, Monday - Friday, Pacific Standard Time)

SECTION 2: Hazards identification

General hazard statement
For Professional Users Only

2.1 Classification of the substance or mixture

Safety Data Sheet

Iron Stain Kit (EU)

Classification according to Regulation (EC) No 1272/2008 (CLP)

- Acute toxicity, dermal (chapter 3.1), Cat. 5, H313
- Acute toxicity, inhalation (chapter 3.1), Cat. 5, H333
- Acute toxicity, oral (chapter 3.1), Cat. 5, H303
- Serious eye damage/eye irritation (chapter 3.3), Cat. 2, H319
- Skin corrosion/irritation (chapter 3.2), Cat. 2, H315

For the full text corresponding to the "H"-codes displayed in this section, refer to Section 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms



1. Exclamation mark

Signal word

Warning

Hazard statements

H315
H317
H319
H332

Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
Harmful if inhaled

Precautionary statements

P261
P271
P272
P280
P302+P352
P304+P340
P312
P333+P313
P362+P364
P501
P264
P305+P351+P338

Avoid breathing dust/fume/gas/mist/vapors/spray.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
IF ON SKIN: Wash with plenty of water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor if you feel unwell.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Dispose of contents/container to a licensed disposal company.
Wash hands thoroughly after handling.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
If skin irritation occurs: Get medical advice/attention.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Component 1.

1.Potassium ferricyanide trihydrate

Concentration <= 5 % (weight)

Safety Data Sheet

Iron Stain Kit (EU)

CAS no. 14459-95-1

Component 2.

1. Ammonium sulfate

Concentration <= 5 % (weight)

Other names / synonyms Ammonium sulphate; Sulfuric acid diammonium salt
CAS no. 7783-20-2

2. Nuclear Fast Red

Concentration <= 0.2 % (weight)

Other names / synonyms 2-Anthracenesulfonic acid, 4-amino-9,10-dihydro-1,3-dihydroxy-9,10-dioxo-,
monosodium salt;
CAS no. 6409-77-4

3. SODIUM AZIDE

Concentration <= 0.1 % (weight)

Other names / synonyms Sodium azide (Na(N₃))
EC no. 247-852-1
CAS no. 26628-22-8
Index no. 011-004-00-7

- Acute toxicity, dermal (chapter 3.1), Cat. 1
- Acute toxicity, inhalation (chapter 3.1), Cat. 2
- Acute toxicity, oral (chapter 3.1), Cat. 2
- Specific target organ toxicity, repeated exposure (chapter 3.9), Cat. 2
- Hazardous to the aquatic environment, short-term (acute) (chapter 4.1), Cat. 1
- Hazardous to the aquatic environment, long-term (chronic) (chapter 4.1), Cat. 1

Component 3.

1. Hydrochloric acid

Concentration <= 2 % (volume)

Other names / synonyms Acidum hydrochloricum; hydrogen chloride; HYDROGEN CHLORIDE (gas)
EC no. 231-595-7
CAS no. 7647-01-0
Index no. 017-002-01-X

- Skin corrosion/irritation (chapter 3.2), Cat. 1
- Eye damage/irritation (chapter 3.3), Cat. 1
- Acute toxicity, inhalation (chapter 3.1), Cat. 3

Safety Data Sheet

Iron Stain Kit (EU)

H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H331	Toxic if inhaled
SCLs/M-factors/ATEs	Skin Corr. 1B; H314: $C \geq 25 \%$ Skin Irrit. 2; H315: $10 \% \leq C < 25 \%$ Eye Irrit. 2; H319: $10 \% \leq C < 25 \%$ STOT SE 3; H335: $C \geq 10 \%$

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes	Consult a physician. Show this safety data sheet to the doctor in attendance.
Following inhalation	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
Following skin contact	Rinse with plenty of water. Get medical attention if irritation develops and persists.
Following eye contact	Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
Following ingestion	Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.
Self-protection of the first aider	Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Use extinguishing media appropriate for surrounding fire.

5.2 Special hazards arising from the substance or mixture

SODIUM AZIDE: Sodium oxides

Safety Data Sheet

Iron Stain Kit (EU)

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Should not be released into the environment. See Section 12 for additional ecological information.

6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS: 26628-22-8 (EC: 247-852-1)

Sodium azide

ACGIH: 0.29 mg/m³ (C); 0.1 ppm (C) hydrazoic acid vapor TLV® inhalation; NIOSH: 0.29 mg/m³ (C); 0.1 ppm (C) hydrazoic acid vapor REL-C inhalation

CAS: 7647-01-0

Hydrochloric acid

Safety Data Sheet

Iron Stain Kit (EU)

ACGIH: 2 ppm (C) TLV® inhalation; NIOSH: 5 ppm, 7 mg/m³ REL-C inhalation; OSHA: 5 ppm, 7 mg/m³ PEL-C inhalation

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Individual protection measures, such as personal protective equipment

Pictograms



Eye and face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available

Control banding approach

No data available.

Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Variable
Colour	Variable
Odour	Odorless
Odour threshold	No data available.
pH	Variable
Melting point/freezing point	No data available.
Boiling point or initial boiling point and boiling range	No data available.

Safety Data Sheet

Iron Stain Kit (EU)

Flash point	No data available.
Evaporation rate	No data available.
Flammability	No data available.
Lower and upper explosion limit/flammability limit	No data available.
Vapor pressure	No data available.
Relative vapor density	No data available.
Density and/or relative density	No data available.
Solubility	No data available.
Partition coefficient n-octanol/water (log value)	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Kinematic viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.

Particle characteristics

No data available.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

No data available.

9.2.2 Other safety characteristics

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

None under normal use conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

None under normal use conditions.

10.4 Conditions to avoid

Exposure to moisture.

Avoid storing in direct sunlight and avoid extremes of temperature.

Heat, flames and sparks.

10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

The ATE (dermal) of the mixture is: 5000 mg/kg bw

The ATE (gas inhalation) of the mixture is: 25925.93 ppmV

Safety Data Sheet

Iron Stain Kit (EU)

The ATE (oral) of the mixture is: 5000 mg/kg bw

Sodium azide
LD50 Oral - Rat - 27 mg/kg

Skin corrosion/irritation

Sodium azide
LD50 Skin - Rat - 20 mg/kg

Serious eye damage/irritation

Risk of serious damage to eyes.

Respiratory or skin sensitization

Sodium azide
LC50 Inhalation - Rat - 0.054 - 0.52 mg/l - 4 hr

Germ cell mutagenicity

Based on available data, classification data are not met

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Based on available data, classification data are not met

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

Sodium azide
LC50 Inhalation - Rat - 0.054 - 0.52 mg/l - 4 hr

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Sodium azide
LC50 - Oncorhynchus mykiss (rainbow trout) - 2.96 mg/l - 96 h

Safety Data Sheet

Iron Stain Kit (EU)

Sodium azide

EC50 - Pseudokirchneriella subcapitata (green algae) - 0.348 mg/l - 96 h

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product disposal

Offer surplus and non-recyclable solutions to a licensed disposal company.

Packaging disposal

Dispose of as unused product.

Waste treatment

No data available

Sewage disposal

Do not let product enter drains

Other disposal recommendations

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

SECTION 14: Transport information

14.1	UN Number	None
14.2	UN Proper Shipping Name	None
14.3	Transport hazard class(es)	None
14.4	Packing group	None
14.5	Environmental hazards	None
14.6	Special precautions for user	None
14.7	Maritime transport in bulk according to IMO instruments	None

SECTION 15: Regulatory information

15.2 Chemical Safety Assessment

The supplier of this product has not conducted any Chemical Safety Assessment


Safety Data Sheet

Iron Stain Kit (EU)

HMIS Rating

Iron Stain Kit (EU)	
HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	C

NFPA Rating



SECTION 16: Other information

Full text of hazard statements referenced in Section 2

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H333	May be harmful if inhaled

SDS-0060, Rev.C

Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Diagnostic BioSystems be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Diagnostic BioSystems has been advised of the possibility of such damages.