

**Duplicate of: Oil Red O Stain Kit (OSHA)** 

# **SECTION 1: Identification**

#### 1.1 GHS Product identifier

Product name Oil Red O Stain Kit (OSHA)

Number KT025

Brand Oil Red O Stain Kit

#### 1.2 Other means of identification

Component 1. Propylene Glycol

Component 2. Modified Mayer's Hematoxylin

Component 3. Oil Red O Solution

#### 1.3 Recommended use of the chemical and restrictions on use

In Vitro Diagnostic Use

#### 1.4 Supplier's details

Name Diagnostic Biosystems
Address 6616 Owens Drive
Pleasanton CA 94588

USA

Telephone (888) 896-3350

email customersupport@dbiosys.com

#### 1.5 Emergency phone number

(925) 484-3350 (9AM-6PM, Monday - Friday, Pacific Standard Time)

#### **SECTION 2: Hazard identification**

#### **General hazard statement**

For Professional Users Only

#### 2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

Not a hazardous substance or mixture.

# Safety Data Sheet Duplicate of: Oil Red O Stain Kit (OSHA)

#### 2.2 GHS label elements, including precautionary statements

Not a hazardous substance or mixture.

#### 2.3 Other hazards which do not result in classification

Not a hazardous substance or mixture.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Component 1.

1. Propylene glycol Concentration

100 % (volume)

Other names / synonyms 1,2-DIHYDROXYPROPANE; 1,2-Propanediol; 1,2-PROPYLENE GLYCOL;

ALPHA-PROPYLENEGLYCOL; DOWFROST; METHYL GLYCOL; METHYLETHYLENE GLYCOL; MONOPROPYLENE GLYCOL; PG 12; Propane-1,2-diol; PROPANEDIOL,1,2-; PROPYLENE GLYCOL USP;

Propylenglycolum; SIRLENE; SOLAR WINTER BAN; TRIMETHYL GLYCOL

EC no. 200-338-0 CAS no. 57-55-6

Component 2. 1 Glycerin

Concentration <= 30 % (volume)

Other names / synonyms 1,2,3-Propanetriol; 1,2,3-TRIHYDROXYPROPANE; 90 TECHNICAL

GLYCERINE; GLYCERIN, ANHYDROUS; GLYCERIN, SYNTHETIC; Glycerin, U.S.P.; GLYCERINE; Glycerine; GLYCERITOL; Glycerol; Glycerolum; GLYCYL ALCOHOL; SYNTHETIC GLYCERINE;

TRIHYDROXYPROPANE

EC no. 200-289-5 CAS no. 56-81-5

2. Aluminum sulfate

Concentration <= 5 % (weight)

Other names / synonyms Aluminii sulfas; Aluminium sulfate; Aluminium sulphate; Sulfuric acid,

aluminum salt (3:2)

CAS no. 10043-01-3

Component 3.

1. Propylene glycol

Concentration <= 100 % (volume)

Version: SDS-0080, Revision: B, Supersedes: A, Date of issue: 2022-12-02, p. 2 of 11

# Duplicate of: Oil Red O Stain Kit (OSHA)

Other names / synonyms 1,2-DIHYDROXYPROPANE; 1,2-Propanediol; 1,2-PROPYLENE GLYCOL; ALPHA-PROPYLENEGLYCOL; DOWFROST; METHYL GLYCOL; METHYLETHYLENE GLYCOL; MONOPROPYLENE GLYCOL; PG 12; Propane-1,2-diol; PROPANEDIOL,1,2-; PROPYLENE GLYCOL USP; Propylenglycolum; SIRLENE; SOLAR WINTER BAN;

TRIMETHYL GLYCOL

EC no. 200-338-0 CAS no. 57-55-6

2. Oil Red O

Concentration <= 0.5 % (weight)

Other names / synonyms

CAS no.

2-Naphthalenol, 1-[[4-[(dimethylphenyl)azo]dimethylphenyl]azo]-;

1320-06-5

#### **SECTION 4: First-aid measures**

#### 4.1 Description of necessary first-aid measures

General advice Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled If breathed in, move person into fresh air. If not breathing, give artificial

respiration.

Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Rinse mouth with water. Consult a physician.

In case of skin contact Rinse with plenty of water. Get medical attention if irritation develops and

persists.

In case of eye contact Rinse thoroughly with plenty of water for at least 15 minutes. Get medical

attention if symptoms occur.

If swallowed Call a poison center or doctor if you feel unwell. If vomiting occurs naturally,

have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything

by mouth to an unconscious person.

Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset,

nausea, vomiting and diarrhea.

Personal protective equipment for first-aid responders

Ensure adequate ventilation. Use personal protective equipment. For

personal protection see section 8.

#### 4.2 Most important symptoms/effects, acute and delayed

# Duplicate of: Oil Red O Stain Kit (OSHA)

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available

# **SECTION 5: Fire-fighting measures**

#### 5.1 Suitable extinguishing media

Use extinguishing media appropriate for surrounding fire.

#### 5.2 Specific hazards arising from the chemical

No data available.

#### 5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **Further information**

No data available.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

#### 6.2 Environmental precautions

Should not be released into the environment. See Section 12 for additional ecological information.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

# Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

#### Specific end use(s)

Version: SDS-0080, Revision: B, Supersedes: A, Date of issue: 2022-12-02, p. 4 of 11

# Duplicate of: Oil Red O Stain Kit (OSHA)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

CAS: 56-81-5 (EC: 200-289-5)

Glycerin

ACGIH (USA): 10 mg/m3 TWA inhalation; Cal/OSHA: 10 mg/m3, PNOR PEL inhalation; 5 mg/m3, PNOR PEL inhalation; OSHA: 15 mg/m3 PEL inhalation; 5 mg/m3 PEL inhalation; 15 mg/m3 TWA inhalation; 5 mg/m3 TWA inhalation

CAS: 57-55-6 (EC: 200-338-0)

Propylene glycol

OSHA (USA): 10 mg/m3 TWA inhalation

### 8.2 Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### **Pictograms**







# Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body protection**

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Thermal hazards

No data available

#### Control banding approach

No data available.

#### **Environmental exposure controls**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## SECTION 9: Physical and chemical properties and safety characteristics

# Duplicate of: Oil Red O Stain Kit (OSHA)

Physical state Liquid Appearance Clear Color Varies

Odor No data available. Odor threshold No data available. Hq No data available. Melting point/freezing point No data available. Boiling point or initial boiling point and boiling range No data available. Flash point No data available. Evaporation rate No data available. Flammability No data available. Lower and upper explosion limit/flammability limit No data available. Vapor pressure No data available. Relative vapor density No data available. Density and/or relative density No data available. Solubility No data available. Partition coefficient n-octanol/water (log value) No data available. Auto-ignition temperature No data available. Decomposition temperature No data available. Kinematic viscosity No data available.

# **Particle characteristics**

No data available.

Explosive properties

Oxidizing properties

### Supplemental information regarding physical hazard classes

No data available.

#### Further safety characteristics (supplemental)

No data available.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

None under normal use conditions.

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

None under normal use conditions.

#### 10.4 Conditions to avoid

Exposure to moisture.

Avoid storing in direct sunlight and avoid extremes of temperature.

Heat, flames and sparks.

#### 10.5 Incompatible materials

----

Propylene glycol: Acid chlorides, Acid anhydrides, Oxidizing agents, Chloroformates, Reducing agents

No data available.

No data available.

# **Duplicate of: Oil Red O Stain Kit (OSHA)**

----

Glycerine: Strong bases, Strong oxidizing agents

#### 10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

----

Propylene glycol: Other decomposition products - No data available

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

#### Information on toxicological effects

# **Acute toxicity**

Glycerol

LD50 Oral - Rat - 12,600 mg/kg

Propylene glycol

LD50 Oral - Rat - 20,000 mg/kg

Propylene glycol

LD50 Intramuscular - Rat - 14 g/kg

Propylene glycol

LD50 Intravenous - Dog - 26 g/kg

Propylene glycol

LD50 Intraperitoneal - Rat - 6,660 mg/kg

Propylene glycol

LD50 Subcutaneous - Rat - 22,500 mg/kg

Propylene glycol

LD50 Intravenous - Rat - 6,423 mg/kg

Propylene glycol

LD50 Intraperitoneal - Mouse - 9,718 mg/kg

Remarks: Lungs, Thorax, or Respiration:Chronic pulmonary edema. Kidney, Ureter, Bladder:Changes in both tubules and glomeruli. Blood:Changes in spleen.

Propylene glycol

LD50 Subcutaneous - Mouse - 17,370 mg/kg

Remarks: Behavioral:Change in motor activity (specific assay). Behavioral:Muscle contraction or spasticity.

Cyanosis

Propylene glycol

LD50 Intravenous - Mouse - 6,630 mg/kg

Propylene glycol

LD50 Intravenous - Rabbit - 6,500 mg/kg

#### Skin corrosion/irritation

Glycerol

LD50 Skin - Rabbit - >10,000 mg/kg

# Safety Data Sheet Duplicate of: Oil Red O Stain Kit (OSHA)

Propylene glycol LD50 Skin - Rabbit - 20,800 mg/kg

# Serious eye damage/irritation

No data available.

#### Respiratory or skin sensitization

Based on available data, classification data are not met

#### Germ cell mutagenicity

Based on available data, classification data are not met

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

Based on available data, classification data are not met

#### STOT-single exposure

No data available.

#### STOT-repeated exposure

No data available.

# **Aspiration hazard**

No data available.

#### Additional information

No data available.

# **SECTION 12: Ecological information**

### **Toxicity**

Propylene glycol

NOEC - Pimephales promelas (fathead minnow) - 52,930 mg/l - 96 h

Propylene glycol

NOEC - Daphnia magna (water flea) - 13,020 mg/l - 48 h

Propylene glycol

EC50 - Daphnia magna (water flea) - >10,000 mg/l - 48 h

# Persistence and degradability

No data available.

#### **Bioaccumulative potential**

No data available.

#### Mobility in soil

Version: SDS-0080, Revision: B, Supersedes: A, Date of issue: 2022-12-02, p. 8 of 11

# **Duplicate of: Oil Red O Stain Kit (OSHA)**

No data available.

#### Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# **Endocrine disrupting properties**

No data available.

#### Other adverse effects

No data available.

# **SECTION 13: Disposal considerations**

#### Disposal methods

#### **Product disposal**

Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Packaging disposal

Dispose of as unused product.

#### Waste treatment

No data available

# Sewage disposal

Do not let product enter drains

#### Other disposal recommendations

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

# **SECTION 14: Transport information**

# DOT (US)

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### IATA

Not dangerous goods

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations specific for the product in question

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **Canadian Domestic Substances List (DSL)**

Chemical name: 1,2-Propanediol

CAS: 57-55-6

Chemical name: 1,2,3-Propanetriol

CAS: 30918-77-5

Version: SDS-0080, Revision: B, Supersedes: A, Date of issue: 2022-12-02, p. 9 of 11

# Duplicate of: Oil Red O Stain Kit (OSHA)

Chemical name: 1,2,3-Propanetriol

CAS: 56-81-5

Chemical name: Sulfuric acid, aluminum salt (3:2)

CAS: 10043-01-3

Chemical name: 2-Naphthalenol, 1-[[4-[(dimethylphenyl)azo]dimethylphenyl]azo]-

CAS: 1320-06-5

#### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

Glycerol

CAS-No. 56-81-5

Chemical name: Aluminum sulfate

CAS number: 10043-01-3

#### **New Jersey Right To Know Components**

Propylene glycol CAS number: 57-55-6

Glycerol

CAS-No. 56-81-5

Common name: ALUMINUM SULFATE

CAS number: 10043-01-3

# Pennsylvania Right To Know Components

Propylene glycol CAS number: 57-55-6

Glycerol

CAS-No. 56-81-5

Chemical name: Sulfuric acid, aluminum salt (3:2)

CAS number: 10043-01-3

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 311/312 Hazards

No SARA Hazards

Chronic Health Hazard

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### 15.2 Chemical Safety Assessment

# **Duplicate of: Oil Red O Stain Kit (OSHA)**

The supplier of this product has not conducted any Chemical Safety Assessment

# **HMIS Rating**

Duplicate of: Oil Red O Stain Kit (OSHA)	
HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	С

# **NFPA Rating**



# **SECTION 16: Other information**

SDS-0080 Rev. B

#### 16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Diagnostic BioSystems be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Diagnostic BioSystems has been advised of the possibility of such damages.