

Safety Data Sheet Trichrome Stain Kit (EU)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Trichrome Stain Kit (EU)

Product number KT034

Brand Trichrome Stain Kit

Other means of identification

Kit Component	Volume	Storage
1. Acetic Acid Solution (1%)	125 mL	15-30°C
2. Aniline Blue Stain	125 mL	15-30°C
3. Biebrich Scarlet-Acid	125 mL	15-30°C
4. Bouin's Fluid	125 mL	15-30°C
5. Phosphomolybdic/	125 mL 15	15-30°C
Phosphotungstic Acid	125 IIIL	
6. Weigert's Hematoxylin "A"	125 mL	15-30°C
7. Weigert's Hematoxylin "B"	125 mL	15-30°C

1.2 Relevant identified uses of the substance or mixture and uses advised against

In Vitro Diagnostic Use

1.3 Details of the supplier of the safety data sheet

Name Diagnostic Biosystems Address 6616 Owens Drive

Pleasanton CA 94588

USA

Telephone (888) 896-3350

email customersupport@dbiosys.com

1.4 Emergency telephone number

(925) 484-3350 (9AM-6PM, Monday - Friday, Pacific Standard Time)

SECTION 2: Hazards identification

General hazard statement

For Professional Users Only

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

- Acute toxicity, dermal (chapter 3.1), Cat. 5, H313
- Acute toxicity, inhalation (chapter 3.1), Cat. 4, H332
- Acute toxicity, inhalation (chapter 3.1), Cat. 5, H333
- Acute toxicity, oral (chapter 3.1), Cat. 4, H302
- Carcinogenicity (chapter 3.6), Cat. 1B, H350
- Germ cell mutagenicity (chapter 3.5), Cat. 2, H341
- Skin corrosion/irritation (chapter 3.2), Cat. 1B, H314
- Skin sensitizer (chapter 3.4), Cat. 1, H317

For the full text corresponding to the "H"-codes displayed in this section, refer to Section 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms







1. Exclamation mark; 2. Health hazard; 3. Corrosion

Signal word Danger

Hazard	statements
--------	------------

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H317 May cause an allergic skin reaction

H332 Harmful if inhaled

H341 Suspected of causing genetic defects

H350 May cause cancer

Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray. P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell,

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor.
P312 Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container to a licensed disposal company.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Component 1. 1. Acetic acid

Concentration <= 1 % (volume)

Other names / synonyms acetic acid; ACETIC ACID; ACETIC ACID, GLACIAL; ACETICACID; Acidum

aceticum; ETHANOIC ACID; ETHYLIC ACID; GLACIAL ACETIC ACID; METHANECARBOXYLIC ACID; UN 2789; UN 2790; VINEGAR ACID

EC no. 200-580-7 CAS no. 64-19-7 Index no. 607-002-00-6

- Flammable liquids (chapter 2.6), Cat. 3

- Skin corrosion/irritation (chapter 3.2), Cat. 1A

H226 Flammable liquid and vapor

H314 Causes severe skin burns and eye damage

SCLs/M-factors/ATEs Skin Corr. 1A; H314: C ≥ 90 %

Skin Corr. 1B; H314: 25 % \leq C < 90 % Skin Irrit. 2; H315: 10 % \leq C < 25 % Eve Irrit. 2: H319: 10 % \leq C < 25 %

Component 2.

1. Acetic acid

Concentration <= 2 % (volume)

Other names / synonyms acetic acid; ACETIC ACID; ACETIC ACID, GLACIAL; ACETICACID; Acidum

aceticum; ETHANOIC ACID; ETHYLIC ACID; GLACIAL ACETIC ACID; METHANECARBOXYLIC ACID; UN 2789; UN 2790; VINEGAR ACID

EC no. 200-580-7 CAS no. 64-19-7 Index no. 607-002-00-6

- Flammable liquids (chapter 2.6), Cat. 3

- Skin corrosion/irritation (chapter 3.2), Cat. 1A

H226 Flammable liquid and vapor

H314 Causes severe skin burns and eye damage

SCLs/M-factors/ATEs Skin Corr. 1A; H314: C ≥ 90 %

Skin Corr. 1B; H314: $25 \% \le C < 90 \%$ Skin Irrit. 2; H315: $10 \% \le C < 25 \%$ Eye Irrit. 2; H319: $10 \% \le C < 25 \%$

2. Aniline Blue

Concentration <= 2 % (weight)

Other names / synonyms Benzenesulfonic acid,

aminomethyl[[4-[(sulfophenyl)amino]phenyl][4-[(sulfophenyl)imino]-2,5-cycloh

exadien-1-ylidene]methyl]-, disodium salt

CAS no. 28631-66-5

Component 3. 1. Acetic acid

Concentration <= 1 % (volume)

Other names / synonyms acetic acid; ACETIC ACID; ACETIC ACID, GLACIAL; ACETICACID; Acidum

aceticum; ETHANOIC ACID; ETHYLIC ACID; GLACIAL ACETIC ACID; METHANECARBOXYLIC ACID; UN 2789; UN 2790; VINEGAR ACID

EC no. 200-580-7 CAS no. 64-19-7 Index no. 607-002-00-6

- Flammable liquids (chapter 2.6), Cat. 3

- Skin corrosion/irritation (chapter 3.2), Cat. 1A

H226 Flammable liquid and vapor

H314 Causes severe skin burns and eye damage

SCLs/M-factors/ATEs Skin Corr. 1A; H314: C ≥ 90 %

Skin Corr. 1B; H314: $25 \% \le C < 90 \%$ Skin Irrit. 2; H315: $10 \% \le C < 25 \%$ Eye Irrit. 2; H319: $10 \% \le C < 25 \%$

2. Biebrich Scarlet

Concentration <= 1 % (weight)

Other names / synonyms Benzenesulfonic acid.

2-[(2-hydroxy-1-naphthalenyl)azo]-5-[(4-sulfophenyl)azo]-, disodium salt;

CAS no. 4196-99-0

3. Fuchsin Acid

Concentration <= 1 % (weight)

Other names / synonyms Benzenesulfonic acid,

2-amino-5-[(4-amino-3-sulfophenyl)(4-imino-3-sulfo-2,5-cyclohexadien-1-ylid

ene)methyl]-3-methyl-, disodium salt;

CAS no. 3244-88-0

Component 4.

Concentration

1. Formaldehyde

<= 8 % (volume)

Other names / synonyms Formaldehyde (gas)

200-001-8 EC no. CAS no. 50-00-0 Index no. 605-001-00-5

- Carcinogenicity (chapter 3.6), Cat. 1B

- Germ cell mutagenicity (chapter 3.5), Cat. 2

- Acute toxicity, inhalation (chapter 3.1), Cat. 3

- Acute toxicity, dermal (chapter 3.1), Cat. 3

- Acute toxicity, oral (chapter 3.1), Cat. 3

- Skin corrosion/irritation (chapter 3.2), Cat. 1B

- Sensitization - skin (chapter 3.4), Cat. 1

H301 Toxic if swallowed H311 Toxic in contact with skin

Causes severe skin burns and eye damage H314 May cause an allergic skin reaction H317

Toxic if inhaled H331

Suspected of causing genetic defects [route] H341

May cause cancer [route] H350 SCLs/M-factors/ATEs STOT SE 3; H335: C ≥ 5 % Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 5 % ≤ C < 25 %

Eye Irrit. 2; H319: $5 \% \le C < 25 \%$ Skin Sens. 1; H317: C ≥ 0,2 %

2. Acetic acid

<= 5 % (volume) Concentration

Concentration <= 1 % (volume)

Other names / synonyms acetic acid; ACETIC ACID; ACETIC ACID, GLACIAL; ACETICACID; Acidum

aceticum; ETHANOIC ACID; ETHYLIC ACID; GLACIAL ACETIC ACID;

METHANECARBOXYLIC ACID: UN 2789: UN 2790: VINEGAR ACID

EC no. 200-580-7 CAS no. 64-19-7 607-002-00-6 Index no.

- Flammable liquids (chapter 2.6), Cat. 3

- Skin corrosion/irritation (chapter 3.2), Cat. 1A

H226 Flammable liquid and vapor

H314 Causes severe skin burns and eve damage

SCLs/M-factors/ATEs Skin Corr. 1A; H314: C ≥ 90 %

Skin Corr. 1B; H314: 25 % ≤ C < 90 % Skin Irrit. 2; H315: 10 % ≤ C < 25 %

Eye Irrit. 2; H319: $10 \% \le C < 25 \%$

3. Methyl alcohol

Concentration <= 2 % (volume)

Other names / synonyms CARBINOL; COLONIAL SPIRIT; COLUMBIAN SPIRIT; Methanol; METHYL

HYDROXIDE; METHYLALCOHOL; METHYLOL;

MONOHYDROXYMETHANE; NA 1230 (DOT); PYROXYLIC SPIRIT; RCRA WASTE NUMBER U154; UN 1230 (DOT); WOOD ALCOHOL; WOOD

NAPHTHA; WOOD SPIRIT

EC no. 200-659-6 CAS no. 67-56-1 Index no. 603-001-00-X

- Flammable liquids (chapter 2.6), Cat. 2

- Acute toxicity, inhalation (chapter 3.1), Cat. 3 - Acute toxicity, dermal (chapter 3.1), Cat. 3

- Acute toxicity, oral (chapter 3.1), Cat. 3

- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 1

H225 Highly flammable liquid and vapor

H301 Toxic if swallowed
H311 Toxic in contact with skin

H331 Toxic if inhaled

H370 Causes damage to organs [organs, route]

SCLs/M-factors/ATEs *

STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %

4. Picric acid

Concentration <= 1 % (volume)

Other names / synonyms Phenol, 2,4,6-trinitro-;

EC no. 201-865-9 CAS no. 88-89-1 Index no. 609-009-00-X

- Explosives (chapter 2.1), Division 1.1

Acute toxicity, inhalation (chapter 3.1), Cat. 3
Acute toxicity, dermal (chapter 3.1), Cat. 3
Acute toxicity, oral (chapter 3.1), Cat. 3

H201 Explosive; mass explosion hazard

H301 Toxic if swallowed

H311 Toxic in contact with skin

H331 Toxic if inhaled

Component 5.

1. Phosphomolybdic acid Hydrate

Concentration <= 2 % (weight) CAS no. 51429-74-4

2. Phosphotungstic Acid Hydrate

Concentration <= 2 % (weight) CAS no. 12501-23-4

Component 6.

1. Alcohol

Concentration <= 95 % (volume)

Other names / synonyms ABSOLUTE ETHANOL; ALCOHOL DEHYDRATED; ALCOHOL,

ANHYDROUS; Alcoholum / ethanolum; ALGRAIN; ANHYDROL; COLOGNE SPIRIT; COLOGNE SPIRITS (ALCOHOL); Ethanol; ETHANOL 200 PROOF;

ETHANOL SOLUTION; ETHYL ALCOHOL; ETHYL ALCOHOL

ANHYDROUS; ETHYL HYDRATE; ETHYL HYDROXIDE; FERMENTATION ALCOHOL; GRAIN ALCOHOL; JAYSOL; JAYSOL S; METHYLCARBINOL; MOLASSES ALCOHOL; NCI-C03134; POTATO ALCOHOL; SD ALCOHOL

23-HYDROGEN; SPIRIT; SPIRITS OF WINE; TECSOL; UN 1170

EC no. 200-578-6 CAS no. 64-17-5 Index no. 603-002-00-5

- Flammable liquids (chapter 2.6), Cat. 2

H225 Highly flammable liquid and vapor

2. Isopropyl alcohol

Concentration <= 5 % (volume)

Other names / synonyms 2-HYDROXYPROPANE; 2-Propanol; 2-PROPYL ALCOHOL; ALCOJEL;

ALCOSOLVE; ALCOSOLVE 2; AVANTIN; AVANTINE; CHROMAR;

COMBI-SCHUTZ; DIMETHYLCARBINOL; HARTOSOL; IMSOL A; ISOHOL;

Isopropanol: LUTOSOL: N-PROPAN-2-OL: PETROHOL: PRO:

PROPAN-2-OL; Propan-2-ol, isopropanol; PROPOL; reaction mass of:

bis(1S,2S,4S)-(1-benzyl-4-tert-butoxycarboxamido-2-hydroxy-5-phenyl)pentyl ammonium succinate; SEC-PROPYL ALCOHOL; SPECTRAR; STERISOL

HAND DISINFECTANT; TAKINEOCOL; UN 1219

EC no. 414-810-0 CAS no. 67-63-0 Index no. 607-403-00-6

- Flammable liquids (chapter 2.6), Cat. 2
- Eye damage/irritation (chapter 3.3), Cat. 2
- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3
- Specific target organ toxicity, repeated exposure (chapter 3.9), Cat. 2

- Eye damage/irritation (chapter 3.3), Cat. 1

- Hazardous to the aquatic environment, short-term (acute) (chapter 4.1), Cat. 1

- Hazardous to the aquatic environment, long-term (chronic) (chapter 4.1), Cat. 1

H225 Highly flammable liquid and vapor
H318 Causes serious eye damage
H319 Causes serious eye irritation
H335 May cause respiratory irritation
H336 May cause drowsiness or dizziness

H373 May cause damage to organs [organs] through prolonged or repeated

exposure [route]

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

3. HEMATOXYLIN

Concentration <= 1 % (weight)

Other names / synonyms Benz[b]indeno[1,2-d]pyran-3,4,6a,9,10(6H)-pentol, 7,11b-dihydro-, cis-(++)-;

CAS no. 517-28-2

Component 7
1. Ferric chloride

Concentration <= 1 % (weight)

CAS no. 10025-77-1

2. Hydrochloric acid

Concentration <= 1 % (volume)

Other names / synonyms Acidum hydrochloricum; HYDROCHLORIC ACID; Hydrogen chloride

EC no. 231-595-7 CAS no. 7647-01-0 Index no. 017-002-01-X

- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3

- Skin corrosion/irritation (chapter 3.2), Cat. 1B

H314 Causes severe skin burns and eye damage

H335 May cause respiratory irritation SCLs/M-factors/ATEs Skin Corr. 1B; H314: $C \ge 25 \%$

Skin Irrit. 2; H315: 10 % \leq C < 25 % Eye Irrit. 2; H319: 10 % \leq C < 25 % STOT SE 3; H335: C \geq 10 %

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes Consult a physician. Show this safety data sheet to the doctor in attendance.

Following inhalation If breathed in, move person into fresh air. If not breathing, give artificial

respiration.

Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Rinse mouth with water. Consult a physician.

Following skin contact Rinse with plenty of water. Get medical attention if irritation develops and

persists.

Following eye contact Rinse thoroughly with plenty of water for at least 15 minutes. Get medical

attention if symptoms occur.

Following ingestion Call a poison center or doctor if you feel unwell. If vomiting occurs naturally,

have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything

by mouth to an unconscious person.

Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset,

nausea, vomiting and diarrhea.

Self-protection of the first aider Ensure adequate ventilation. Use personal protective equipment. For personal

protection see section 8.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Use extinguishing media appropriate for surrounding fire.

5.2 Special hazards arising from the substance or mixture

Methanol: Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Should not be released into the environment. See Section 12 for additional ecological information.

6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS: 50-00-0 (EC: 200-001-8)

Formaldehyde

; ; 0.75 ppm; ACGIH: 0.3 ppm PEL-C inhalation; NIOSH: 0.1 ppm PEL-C inhalation; 0.016 ppm PEL-TWA

inhalation

CAS: 500-00-0 (EC: 200-001-8)

Formaldehyde

CAS: 64-17-5

Alcohol

ACGIH (USA): (ST) 1000 ppm TLV® inhalation; Cal/OSHA: 1000 ppm PEL inhalation; NIOSH: 1000 ppm REL inhalation; OSHA: 1000 ppm PEL inhalation; 1900 mg/m3 PEL inhalation

CAS: 64-19-7 (EC: 200-580-7)

Acetic acid

ACGIH (USA): 15 ppm STEL inhalation; 10 ppm, (ST) 15 ppm TLV® inhalation; 10 ppm TWA inhalation; Cal/OSHA (USA): 40 ppm C inhalation; 10 ppm, (ST) 15 ppm, (C) 40 ppm PEL inhalation; 10 ppm, 25 mg/m3 PEL inhalation; 15 ppm, 37 mg/m3 STEL inhalation; NIOSH (USA): 10 ppm, (ST) 15 ppm REL inhalation; 15 ppm, 37 mg/m3 ST inhalation; 10 ppm, 25 mg/m3 TWA inhalation; OSHA (USA): 25 mg/m3 PEL inhalation; 10 ppm, 25 mg/m3 TWA inhalation

CAS: 67-56-1 (EC: 200-659-6)

Methyl alcohol

ACGIH: 200 ppm TLV® inhalation; 250 ppm (ST) TLV® inhalation; Cal/OSHA: 1000 ppm PEL-C inhalation; 250 ppm PEL-ST inhalation; 200 ppm PEL-TWA inhalation; NIOSH: 250 ppm PEL-ST inhalation; 200 ppm REL-TWA inhalation; OSHA: 200 ppm, 260 mg/m3 PEL-TWA inhalation

CAS: 67-63-0

Isopropyl alcohol

ACGIH (USA): 200 ppm, (ST) 400 ppm TLV® inhalation; Cal/OSHA: 400 ppm, (ST) 500 ppm PEL inhalation; NIOSH: 400 ppm, (ST) 500 ppm REL inhalation; OSHA: 400 ppm PEL inhalation; 980 mg/m3 PEL inhalation

CAS: 7647-01-0

Hydrochloric acid

Cal/OSHA: (C) 5 ppm PEL inhalation; NIOSH: (C) 5 ppm REL inhalation; OSHA: (C) 5 ppm PEL inhalation; (C) 7 mg/m3 PEL inhalation

CAS: 88-89-1

Picric acid

Cal/OSHA: 0.1 mg/m3 PEL inhalation; NIOSH: 0.1 mg/m3, (ST) 0.3 mg/m3 REL inhalation; OSHA: 0.1 mg/m3 PEL inhalation

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Individual protection measures, such as personal protective equipment

Pictograms







Eye and face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available

Control banding approach

No data available.

Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid
Appearance Clear
Colour Varies

Odour No data available. Odour threshold No data available. No data available pН Melting point/freezing point No data available. Boiling point or initial boiling point and boiling range No data available. Flash point No data available. Evaporation rate No data available. Flammability No data available. Lower and upper explosion limit/flammability limit No data available. Vapor pressure No data available. Relative vapor density No data available. Density and/or relative density No data available. Solubility No data available. Partition coefficient n-octanol/water (log value) No data available. Auto-ignition temperature No data available. Decomposition temperature No data available. Kinematic viscosity No data available. Explosive properties No data available. Oxidizing properties No data available.

Particle characteristics

No data available.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

No data available.

9.2.2 Other safety characteristics

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

None under normal use conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

None under normal use conditions.

10.4 Conditions to avoid

Exposure to moisture.

Avoid storing in direct sunlight and avoid extremes of temperature.

Heat, flames and sparks.

10.5 Incompatible materials

Acetic acid: Oxidizing agents, Soluble carbonates and phosphates, Hydroxides, Metals, Peroxides, permanganates, e.g. potassium

permanganate, Amines, Alcohols, Nitric acid

Methanol: Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids

Ethanol: Alkali metals, Oxidizing agents, Peroxides

Isopropanol: Oxidizing agents, Acid anhydrides, Aluminium, Halogenated compounds, Acids

10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

Acetic acid: Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Ethanol: ACGIH: A3 Confirmed animal carcinogen with unknown relevance to humans.

The ATE (dermal) of the mixture is: 2727.27 mg/kg bw

The ATE (gas inhalation) of the mixture is: 6363.64 ppmV

The ATE (vapor inhalation) of the mixture is: 27.27 mg/l

The ATE (oral) of the mixture is: 909.09 mg/kg bw

Methanol

LD50 Oral - Rat - 1,187 - 2,769 mg/kg

Acetic acid

LD50 Oral - Rat - 3,310 mg/kg

Skin corrosion/irritation

Acetic acid

LD50 Skin - Rat - 1,112 mg/kg

ETHANOL

LD50 Skin - Rabbit - 15,800 mg/kg

ETHANOL

OECD Test Guideline 404 Skin - Rabbit - 24 h

Result: No skin irritation

ISOPROPANOL

LD50 Skin - Rabbit - 12,800 mg/kg

Methanol

LD50 Skin - Rabbit - 17,100 mg/kg

Serious eye damage/irritation

ETHANOL

OECD Test Guideline 405 Eyes - Rabbit

Result: Moderate eye irritation

Respiratory or skin sensitization

Acetic acid

LC50 Inhalation - Mouse - 5620 ppm - 1 h

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Conjunctive irritation. Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Other. Blood: Other changes.

Acetic acid

LC50 Inhalation - Rat - 11.4 mg/l - 4 h

ETHANOL

LD50 Inhalation - Rat - 30,000 mg/l - 4 h

ISOPROPANOL

LC50 Inhalation - Rat - 16000 ppm - 8 h

Methanol

LD50 Inhalation - Rat - 128.2 mg/l - 4 h

Methanol

LD50 Inhalation - Rat - 87.6 mg/l - 6 h

Germ cell mutagenicity

Based on available data, classification data are not met

Carcinogenicity

Formaldehyde

Remarks: IARC: 1 - Group 1: Carcinogenic to humans (Formaldehyde)

NTP: Known to be human carcinogen (Formaldehyde)

OSHA: OSHA specifically regulated carcinogen (Formaldehyde)

Reproductive toxicity

Based on available data, classification data are not met

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

Acetic acid

LC50 Inhalation - Mouse - 5620 ppm - 1 h

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Conjunctive irritation. Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Other. Blood: Other changes.

Acetic acid

LC50 Inhalation - Rat - 11.4 mg/l - 4 h

ETHANOL

LD50 Inhalation - Rat - 30,000 mg/l - 4 h

ISOPROPANOL

LC50 Inhalation - Rat - 16000 ppm - 8 h

Methanol

LD50 Inhalation - Rat - 128.2 mg/l - 4 h

Methanol

LD50 Inhalation - Rat - 87.6 mg/l - 6 h

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acetic acid

LC50 - Oncorhynchus mykiss (rainbow trout) - >1,000 mg/l - 96 h

Citation: (OECD Test Guideline 203)

Acetic acid

EC50 - Daphnia magna (water flea) - >300.82 mg/l - 48 h

Citation: (OECD Test Guideline 202)

ETHANOL

LC50 - Pimephales promelas (fathead minnow) - 14,200 mg/l - 96 h

ETHANOL

LC50 - Ceriodaphnia dubia (water flea) - 5,012 mg/l - 48 h

ISOPROPANOL

LC50 - Pimephales promelas (fathead minnow) - 9,640.00 mg/l - 96 h

ISOPROPANOL

EC50 - Daphnia magna (water flea) - 5,102.00 mg/l - 24 h

ISOPROPANOL

EC50 - Daphnia magna (water flea) - 6,851 mg/l - 24 h

ISOPROPANOL

EC50 - Desmodesmus subspicatus (chodat) - > 2,000.00 mg/l - 72 h

ISOPROPANOL

EC50 - Algae - > 1,000.00 mg/l - 24 h

Methano

LC50 - Lepomis macrochirus (bluegill) - 15.400 mg/l - 96 h

Methanol

NOEC - Oryzias latipes - 7.900 mg/l - 200 h

Methanol

EC50 - Daphnia magna (water flea) - >10,000 mg/l - 48 h

Methanol

EC50 - Selenastrum capricornutum (green algae) - 22,000 mg/l - 96 h

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product disposal

Offer surplus and non-recyclable solutions to a licensed disposal company.

Packaging disposal

Dispose of as unused product.

Waste treatment

No data available

Sewage disposal

Do not let product enter drains

Other disposal recommendations

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

SECTION 14: Transport information

14.1 UN Number

14.2 UN Proper Shipping Name

14.3 Transport hazard class(es)

14.4 Packing group

UN3316 Chemical kits

9

14.5 Environmental hazards

Marine pollutant

14.6 Special precautions for user

For professional users only.

Should not be released into the environment.

14.7 Maritime transport in bulk according to IMO instruments

Not shipped in bulk

SECTION 15: Regulatory information

15.2 Chemical Safety Assessment

The supplier of this product has not conducted any Chemical Safety Assessment

HMIS Rating



NFPA Rating



SECTION 16: Other information

Full text of hazard statements referenced in Section 2

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H332	Harmful if inhaled
H333	May be harmful if inhaled
H341	Suspected of causing genetic defects
H350	May cause cancer

SDS-0081 Rev. B

Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Diagnostic BioSystems be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Diagnostic BioSystems has been advised of the possibility of such damages.