

# Safety Data Sheet PermaGreen™ Plus/AP (EU)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name

PermaGreen™ /AP, PermaGreen™ Plus/AP (EU)

Product number Brand K059, K059-110 PermaGreen™ Plus/AP

#### Other means of identification

Component 1: K059C Component 2: K059B

**1.2 Relevant identified uses of the substance or mixture and uses advised against** In Vitro Diagnostic Use

#### 1.3 Details of the supplier of the safety data sheet

Name Address	Diagnostic Biosystems 6616 Owens Drive Pleasanton CA 94588 USA
Telephone	(888) 896-3350
email	customersupport@dbiosys.com

#### 1.4 Emergency telephone number

(925) 484-3350 (9AM-6PM, Monday - Friday, Pacific Standard Time)

# **SECTION 2: Hazards identification**

**General hazard statement** For Professional Users Only

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

- Acute toxicity, dermal (chapter 3.1), Cat. 3, H311

- Acute toxicity, inhalation (chapter 3.1), Cat. 3, H331
- Acute toxicity, oral (chapter 3.1), Cat. 3, H301

- Serious eye damage/eye irritation (chapter 3.3), Cat. 2, H319
- Specific target organ toxicity following single exposure (chapter 3.8), Cat. 1, H370

Danger

- Toxic to reproduction (chapter 3.7), Cat. 1B, H360

For the full text corresponding to the "H"-codes displayed in this section, refer to Section 16.

## 2.2 Label elements

Signal word

## Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms



1. Exclamation mark; 2. Skull and crossbones; 3. Health hazard

Hazard statements	
H301	Toxic if swallowed
H311	Toxic in contact with skin
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H360	May damage fertility or the unborn child
H370	Causes damage to organs
Precautionary statements	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P311	Call a POISON CENTER/doctor.
P312	Call a POISON CENTER/doctor if you feel unwell.
P330	Rinse mouth.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P233 P405	Store in a well-ventilated place. Keep container tightly closed.
	Store locked up.
P501	Dispose of contents/container to a licensed disposal company.

## 2.3 Other hazards

No other hazards identified

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

Components
------------

eebeiteite	
Component 1. 1. Methyl alcohol Concentration	10 - 50 % (volume)
Other names / synonyms	CARBINOL; COLONIAL SPIRIT; COLUMBIAN SPIRIT; Methanol; METHYL HYDROXIDE; METHYLALCOHOL; METHYLOL; MONOHYDROXYMETHANE; NA 1230 (DOT); PYROXYLIC SPIRIT; RCRA WASTE NUMBER U154; UN 1230 (DOT); WOOD ALCOHOL; WOOD NAPHTHA; WOOD SPIRIT
EC no.	200-659-6
CAS no.	67-56-1
Index no.	603-001-00-X
<ul> <li>Flammable liquids (chapter 2.6), Cat. 2</li> <li>Acute toxicity, inhalation (chapter 3.1), Cat. 3</li> <li>Acute toxicity, dermal (chapter 3.1), Cat. 3</li> <li>Acute toxicity, oral (chapter 3.1), Cat. 3</li> <li>Specific target organ toxicity, single exposure (chapter 3.8), Cat. 1</li> </ul>	
H225 H301 H311 H331 H370 SCLs/M-factors/ATEs	Highly flammable liquid and vapor Toxic if swallowed Toxic in contact with skin Toxic if inhaled Causes damage to organs
SCLS/M-IACIOIS/ATES	STOT SE 1; H370: C ≥ 10 %
	STOT SE 2; H371: 3 % ≤ C < 10 %
<b>Component 2.</b> <b>1.Tromethamine</b> Concentration	< 10 % (weight)
Other names / synonyms	1,3-Propanediol, 2-amino-2-(hydroxymethyl)-; Tris; Trometamol;
CAS no. 2. Methylchloroisothiazolinone	77-86-1
Concentration	< 0.1 % (volume)
Other names / avenue	2/24) leathiazalana E chlora 2 mathul E Chlora 2 mathul 24 iaothiazal 2

Other names / synonyms3(2H)-Isothiazolone, 5-chloro-2-methyl-; 5-Chloro-2-methyl-2H-isothiazol-3-<br/>one; 5-chloro-2-methyl-3(2H)-isothiazolone; Proclin 300EC no.247-500-7CAS no.26172-55-4

- Acute toxicity, dermal (chapter 3.1), Cat. 3
- Acute toxicity, oral (chapter 3.1), Cat. 3
- Skin corrosion/irritation (chapter 3.2), Cat. 1B
- Sensitization skin (chapter 3.4), Cat. 1
- Eye damage/irritation (chapter 3.3), Cat. 1
- Hazardous to the aquatic environment, short-term (acute) (chapter 4.1), Cat. 1

### 3. N,N-DIMETHYLFORMAMIDE

Concentration	< 10 % (volume)
Other names / synonyms	Formamide, N,N-dimethyl-;
EC no.	200-679-5
CAS no.	68-12-2
Index no.	616-001-00-X

- Reproductive toxicity (chapter 3.7), Cat. 1B

- Acute toxicity, inhalation (chapter 3.1), Cat. 4
- Acute toxicity, dermal (chapter 3.1), Cat. 4
- Eye damage/irritation (chapter 3.3), Cat. 2

H312	Harmful in contact with skin
H319	Causes serious eye irritation
H332	Harmful if inhaled
H360D	May damage the unborn child

# **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General notes	Consult a physician. Show this safety data sheet to the doctor in attendance.
Following inhalation	If breathed in, move person into fresh air. If not breathing, give artificial respiration.
	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
Following skin contact	Rinse with plenty of water. Get medical attention if irritation develops and persists.
Following eye contact	Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
Following ingestion	Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Self-protection of the first aider Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Use extinguishing media appropriate for surrounding fire.

#### 5.2 Special hazards arising from the substance or mixture

Methanol: Carbon oxides

----

5-chloro-2-methyl-3(2H)-isothiazolone: carbon dioxide, carbon monoxide, hydrogen sulfide, nitrogen oxides, phosgene

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **Further information**

No data available.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

#### 6.2 Environmental precautions

Should not be released into the environment. See Section 12 for additional ecological information.

#### 6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### CAS: 67-56-1 (EC: 200-659-6)

Methyl alcohol

ACGIH: 200 ppm TLV® inhalation; 250 ppm (ST) TLV® inhalation; Cal/OSHA: 1000 ppm PEL-C inhalation; 250 ppm PEL-ST inhalation; 200 ppm PEL-TWA inhalation; NIOSH: 250 ppm PEL-ST inhalation; 200 ppm REL-TWA inhalation; OSHA: 200 ppm, 260 mg/m3 PEL-TWA inhalation

#### CAS: 68-12-2

N,N-DIMETHYLFORMAMIDE

Cal/OSHA: 10 ppm PEL inhalation; NIOSH: 10 ppm REL inhalation; OSHA: 10 ppm PEL inhalation; 30 mg/m3 PEL inhalation

#### 8.2 Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Individual protection measures, such as personal protective equipment



#### Eye and face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body protection**

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Thermal hazards

No data available

### **Control banding approach**

No data available.

### **Environmental exposure controls**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

# Particle characteristics

No data available.

# 9.2 Other information

**9.2.1 Information with regard to physical hazard classes** No data available.

**9.2.2 Other safety characteristics** No data available.

**SECTION 10: Stability and reactivity** 

## 10.1 Reactivity

None under normal use conditions.

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** None under normal use conditions.

### 10.4 Conditions to avoid

Exposure to moisture.

Avoid storing in direct sunlight and avoid extremes of temperature.

Heat, flames and sparks.

#### 10.5 Incompatible materials

----

Methanol: Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids

5-chloro-2-methyl-3(2H)-isothiazolone: strong oxidizing agents

### 10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

The ATE (dermal) of the mixture is: 568.97 mg/kg bw

The ATE (gas inhalation) of the mixture is: 1357.76 ppmV

The ATE (oral) of the mixture is: 200 mg/kg bw

Methanol LD50 Oral - Rat - 1,187 - 2,769 mg/kg

Skin corrosion/irritation Methanol LD50 Skin - Rabbit - 17,100 mg/kg

Serious eye damage/irritation Risk of serious damage to eyes.

**Respiratory or skin sensitization** Methanol LD50 Inhalation - Rat - 128.2 mg/l - 4 h

Methanol LD50 Inhalation - Rat - 87.6 mg/l - 6 h

### Germ cell mutagenicity

Based on available data, classification data are not met

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

Based on available data, classification data are not met

#### STOT-single exposure

No data available.

#### STOT-repeated exposure

No data available.

### Aspiration hazard

Methanol LD50 Inhalation - Rat - 128.2 mg/l - 4 h

Methanol LD50 Inhalation - Rat - 87.6 mg/l - 6 h

#### 11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information

No data available.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

5-chloro-2-methyl-3(2H)-isothiazolone EC50 - Pseudokirchneriella subcapitata (green algae) - 0.11 - 0.16 mg/l - 72 h

5-chloro-2-methyl-3(2H)-isothiazolone LC50 - Oncorhynchus mykiss (rainbow trout) - 1.6 mg/l - 96 h

5-chloro-2-methyl-3(2H)-isothiazolone EC50 - Daphnia magna (water flea) - 4.7 mg/l - 48 h

Methanol LC50 - Lepomis macrochirus (bluegill) - 15.400 mg/l - 96 h

Methanol NOEC - Oryzias latipes - 7.900 mg/l - 200 h

Methanol

EC50 - Daphnia magna (water flea) - >10,000 mg/l - 48 h

Methanol

EC50 - Selenastrum capricornutum (green algae) - 22,000 mg/l - 96 h

- **12.2 Persistence and degradability** No data available.
- **12.3 Bioaccumulative potential** No data available.
- 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available.
- **12.7 Other adverse effects** No data available.

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### Product disposal

Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Packaging disposal

Dispose of as unused product.

Waste treatment No data available

Sewage disposal Do not let product enter drains

#### Other disposal recommendations

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

# **SECTION 14: Transport information**

#### 14.1 UN Number

- 14.2 UN Proper Shipping Name
- 14.3 Transport hazard class(es)
- 14.4 Packing group

#### **14.5 Environmental hazards** Marine pollutant

#### 14.6 Special precautions for user

For professional users only. Should not be released into the environment. UN2265 N,N-Dimethylformamide 3 III

14.7 Maritime transport in bulk according to IMO instruments Not shipped in bulk

## **SECTION 15: Regulatory information**

#### 15.2 Chemical Safety Assessment

The supplier of this product has not conducted any Chemical Safety Assessment

# **SECTION 16: Other information**

### Full text of hazard statements referenced in Section 2

H301	Toxic if swallowed
H311	Toxic in contact with skin
H319	Causes serious eye irritation
H331	Toxic if inhaled
H360	May damage fertility or the unborn child
H370	Causes damage to organs

SDS-0093, Rev. B

#### Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Diagnostic BioSystems be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Diagnostic BioSystems has been advised of the possibility of such damages.