

Safety Data Sheet
Colloidal Iron Stain Kit (OSHA)



Safety Data Sheet
Colloidal Iron Stain Kit (OSHA)

SECTION 1: Identification

1.1 GHS Product identifier

Product name	Colloidal Iron Stain Kit (OSHA)
Product number	KT007
Brand	Colloidal Iron Stain Kit

1.2 Other means of identification

Component 1: 12% Acetic Acid Solution
Component 2: 3% Hydrochloric Acid
Component 3: 4% Potassium ferrocyanide
Component 4: Colloidal Iron Stock Solution
Component 5: Van Gieson's Stain

1.3 Recommended use of the chemical and restrictions on use

In Vitro Diagnostic Use

1.4 Supplier's details

Name	Diagnostic Biosystems
Address	6616 Owens Drive Pleasanton CA 94588 USA
Telephone	(888) 896-3350
email	customersupport@dbiosys.com

1.5 Emergency phone number

(925) 484-3350 (9AM-6PM, Monday - Friday, Pacific Standard Time)

SECTION 2: Hazard identification

General hazard statement

For Professional Users Only

2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

Safety Data Sheet

Colloidal Iron Stain Kit (OSHA)

- Acute toxicity, inhalation (C.4.3), Cat. 4
- Acute toxicity, inhalation (chapter 3.1), Cat. 5
- Acute toxicity, oral (chapter 3.1), Cat. 5
- Eye damage/irritation (C.4.5), Cat. 1
- Skin corrosion/irritation (C.4.4), Cat. 1A

2.2 GHS label elements, including precautionary statements

Pictogram



1. Exclamation mark; 2. Corrosion

Signal word

Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage
H317 May cause an allergic skin reaction
H318 Causes serious eye damage
H332 Harmful if inhaled

Precautionary statement(s)

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P363 Wash contaminated clothing before reuse.
P405 Store locked up.
P501 Dispose of contents/container to a licensed disposal company.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Component 1.

1. Acetic acid

Concentration <= 12 % (volume)

Other names / synonyms

acetic acid; ACETIC ACID; ACETIC ACID, GLACIAL; ACETICACID; Acidum aceticum; ETHANOIC ACID; ETHYLIC ACID; GLACIAL ACETIC ACID; METHANECARBOXYLIC ACID; UN 2789; UN 2790; VINEGAR ACID

Safety Data Sheet

Colloidal Iron Stain Kit (OSHA)

EC no. 200-580-7
CAS no. 64-19-7
Index no. 607-002-00-6

- Flammable liquids (C.4.19), Cat. 3
- Skin corrosion/irritation (C.4.4), Cat. 1A

H226 Flammable liquid and vapor
H314 Causes severe skin burns and eye damage
SCLs/M-factors/ATEs Skin Corr. 1A; H314: C ≥ 90 %
Skin Corr. 1B; H314: 25 % ≤ C < 90 %
Skin Irrit. 2; H315: 10 % ≤ C < 25 %
Eye Irrit. 2; H319: 10 % ≤ C < 25 %

Component 2.

1. Hydrochloric acid

Concentration ≤ 3 % (volume)

Other names / synonyms Acidum hydrochloricum; hydrogen chloride; HYDROGEN CHLORIDE (gas)
EC no. 231-595-7
CAS no. 7647-01-0
Index no. 017-002-01-X

- Skin corrosion/irritation (C.4.4), Cat. 1
- Eye damage/irritation (C.4.5), Cat. 1
- Acute toxicity, inhalation (C.4.3), Cat. 3

H314 Causes severe skin burns and eye damage
H318 Causes serious eye damage
H331 Toxic if inhaled
SCLs/M-factors/ATEs Skin Corr. 1B; H314: C ≥ 25 %
Skin Irrit. 2; H315: 10 % ≤ C < 25 %
Eye Irrit. 2; H319: 10 % ≤ C < 25 %
STOT SE 3; H335: C ≥ 10 %

Component 3.

1. Potassium ferricyanide trihydrate

Concentration ≤ 3 % (weight)
CAS no. 14459-95-1

Component 4.

1. Ferric chloride

Concentration ≤ 1 % (weight)

Other names / synonyms Iron (III), chloride, hexahydrate; Iron trichloride
CAS no. 10025-77-1

Component 5.

Safety Data Sheet

Colloidal Iron Stain Kit (OSHA)

1. Picric acid

Concentration <= 2 % (weight)

Other names / synonyms Phenol, 2,4,6-trinitro-;
EC no. 201-865-9
CAS no. 88-89-1
Index no. 609-009-00-X

- Explosives (C.4.14), Division 1.1
- Acute toxicity, inhalation (C.4.3), Cat. 3
- Acute toxicity, dermal (C.4.2), Cat. 3
- Acute toxicity, oral (C.4.1), Cat. 3

H201 Explosive; mass explosion hazard
H301 Toxic if swallowed
H311 Toxic in contact with skin
H331 Toxic if inhaled

2. Fuchsin Acid

Concentration <= 0.1 % (weight)

Other names / synonyms Benzenesulfonic acid, 2-amino-5-[(4-amino-3-sulfophenyl)(4-imino-3-sulfo-2,5-cyclohexadien-1-ylidene)methyl]-3-methyl-, disodium salt;
CAS no. 3244-88-0

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled
If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

In case of skin contact Rinse with plenty of water. Get medical attention if irritation develops and persists.

In case of eye contact Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.

If swallowed
Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Safety Data Sheet

Colloidal Iron Stain Kit (OSHA)

Personal protective equipment for first-aid responders

Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use extinguishing media appropriate for surrounding fire.

5.2 Specific hazards arising from the chemical

Hydrogen chloride gas

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Should not be released into the environment. See Section 12 for additional ecological information.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into

Safety Data Sheet

Colloidal Iron Stain Kit (OSHA)

consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS: 64-19-7 (EC: 200-580-7)

Acetic acid

ACGIH (USA): 15 ppm STEL inhalation; 10 ppm, (ST) 15 ppm TLV® inhalation; 10 ppm TWA inhalation; Cal/OSHA (USA): 40 ppm C inhalation; 10 ppm, (ST) 15 ppm, (C) 40 ppm PEL inhalation; 10 ppm, 25 mg/m³ PEL inhalation; 15 ppm, 37 mg/m³ STEL inhalation; NIOSH (USA): 10 ppm, (ST) 15 ppm REL inhalation; 15 ppm, 37 mg/m³ ST inhalation; 10 ppm, 25 mg/m³ TWA inhalation; OSHA (USA): 25 mg/m³ PEL inhalation; 10 ppm PEL inhalation; 10 ppm, 25 mg/m³ TWA inhalation

CAS: 7647-01-0

Hydrochloric acid

ACGIH: 2 ppm (C) TLV® inhalation; NIOSH: 5 ppm, 7 mg/m³ REL-C inhalation; OSHA: 5 ppm, 7 mg/m³ PEL-C inhalation

CAS: 88-89-1

Picric acid

Cal/OSHA: 0.1 mg/m³ PEL inhalation; NIOSH: 0.1 mg/m³, (ST) 0.3 mg/m³ REL inhalation; OSHA: 0.1 mg/m³ PEL inhalation

8.2 Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Pictograms



Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Safety Data Sheet

Colloidal Iron Stain Kit (OSHA)

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available

Control banding approach

No data available.

Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Liquid
Appearance	Clear
Color	Not Applicable
Odor	Odorless
Odor threshold	No data available.
pH	Not Applicable
Melting point/freezing point	No data available.
Boiling point or initial boiling point and boiling range	No data available.
Flash point	No data available.
Evaporation rate	No data available.
Flammability	No data available.
Lower and upper explosion limit/flammability limit	No data available.
Vapor pressure	No data available.
Relative vapor density	No data available.
Density and/or relative density	No data available.
Solubility	No data available.
Partition coefficient n-octanol/water (log value)	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Kinematic viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.

Particle characteristics

No data available.

Supplemental information regarding physical hazard classes

No data available.

Further safety characteristics (supplemental)

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

None under normal use conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

Safety Data Sheet

Colloidal Iron Stain Kit (OSHA)

10.3 Possibility of hazardous reactions

None under normal use conditions.

10.4 Conditions to avoid

Exposure to moisture.

Avoid storing in direct sunlight and avoid extremes of temperature.

Heat, flames and sparks.

10.5 Incompatible materials

Acetic acid: Oxidizing agents, Soluble carbonates and phosphates, Hydroxides, Metals, Peroxides, permanganates, e.g. potassium permanganate, Amines, Alcohols, Nitric acid

10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

Acetic acid: Hazardous decomposition products formed under fire conditions. - Carbon oxides
Other decomposition products - No data available
In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

The ATE (gas inhalation) of the mixture is: 14000 ppmV

The ATE (vapor inhalation) of the mixture is: 60 mg/l

The ATE (oral) of the mixture is: 5000 mg/kg bw

Acetic acid

LD50 Oral - Rat - 3,310 mg/kg

Skin corrosion/irritation

Acetic acid

LD50 Skin - Rat - 1,112 mg/kg

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Based on available data, classification data are not met

Germ cell mutagenicity

Based on available data, classification data are not met

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

Safety Data Sheet

Colloidal Iron Stain Kit (OSHA)

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Based on available data, classification data are not met

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

Acetic acid

LC50 Inhalation - Mouse - 5620 ppm - 1 h

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Conjunctive irritation. Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Other. Blood:Other changes.

Acetic acid

LC50 Inhalation - Rat - 11.4 mg/l - 4 h

Additional information

No data available.

SECTION 12: Ecological information

Toxicity

Acetic acid

LC50 - Oncorhynchus mykiss (rainbow trout) - >1,000 mg/l - 96 h

Citation: (OECD Test Guideline 203)

Acetic acid

EC50 - Daphnia magna (water flea) - >300.82 mg/l - 48 h

Citation: (OECD Test Guideline 202)

Persistence and degradability

No data available.

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Endocrine disrupting properties

No data available.

Other adverse effects

Safety Data Sheet

Colloidal Iron Stain Kit (OSHA)

No data available.

SECTION 13: Disposal considerations

Disposal methods

Product disposal

Offer surplus and non-recyclable solutions to a licensed disposal company.

Packaging disposal

Dispose of as unused product.

Waste treatment

No data available

Sewage disposal

Do not let product enter drains

Other disposal recommendations

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Canadian Domestic Substances List (DSL)

Chemical name: Acetic acid

CAS: 64-19-7

Chemical name: Hydrochloric acid

CAS: 7647-01-0

Chemical name: Phenol, 2,4,6-trinitro-

CAS: 88-89-1

Chemical name: Benzenesulfonic acid, 2-amino-5-[(4-amino-3-sulfophenyl)(4-imino-3-sulfo-2,5-cyclohexadien-1-ylidene)methyl]-3-methyl-, disodium salt

CAS: 3244-88-0

Massachusetts Right To Know Components

Safety Data Sheet

Colloidal Iron Stain Kit (OSHA)

Acetic acid
CAS number: 64-19-7

Chemical name: Hydrochloric acid
CAS number: 7647-01-0

Chemical name: Picric acid
CAS number: 88-89-1

New Jersey Right To Know Components

Acetic acid
CAS number: 64-19-7

Common name: HYDROGEN CHLORIDE
CAS number: 7647-01-0

Common name: 2,4,6-TRINITROPHENOL
CAS number: 88-89-1

Pennsylvania Right To Know Components

Acetic acid
CAS number: 64-19-7

Chemical name: Hydrochloric acid
CAS number: 7647-01-0

Chemical name: Phenol, 2,4,6-trinitro-
CAS number: 88-89-1

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

15.2 Chemical Safety Assessment

The supplier of this product has not conducted any Chemical Safety Assessment

HMIS Rating

Colloidal Iron Stain Kit (OSHA)	
HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	G

NFPA Rating

Safety Data Sheet
Colloidal Iron Stain Kit (OSHA)



SECTION 16: Other information

SDS-0094, Rev. B

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Diagnostic BioSystems be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Diagnostic BioSystems has been advised of the possibility of such damages.