



Diagnostic BioSystems

Safety Data Sheet

HELICO*STAT RAPID HELICOBACTER STAIN KIT OSHA

SECTION 1: Identification

1.1 GHS Product identifier

Product name	HELICO*STAT RAPID HELICOBACTER STAIN KIT
Product number	KT019
Brand	HELICO*STAT RAPID HELICOBACTER STAIN KIT

1.2 Other means of identification

- Component 1: Periodic Acid Solution
- Component 2: Sodium metabisulfate Solution
- Component 3: Alcian Yellow Solution
- Component 4: Toluidine Blue
- Component 5: Sodium Hydroxide

1.3 Recommended use of the chemical and restrictions on use

In Vitro Diagnostic Use

1.4 Supplier's details

Name	Diagnostic Biosystems
Address	6616 Owens Drive Pleasanton CA 94588 USA
Telephone	(888) 896-3350
email	customersupport@dbiosys.com

1.5 Emergency phone number

(925) 484-3350 (9AM-6PM, Monday - Friday, Pacific Standard Time)

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

- Eye damage/irritation (C.4.5), Cat. 1
- Skin corrosion/irritation (C.4.4), Cat. 1A

2.2 GHS label elements, including precautionary statements

Safety Data Sheet

HELICO*STAT RAPID HELICOBACTER STAIN KIT OSHA

Pictogram



1. Exclamation mark; 2. Corrosion

Signal word

Danger

Hazard statement(s)

H314
H317
H318
H332

Causes severe skin burns and eye damage
May cause an allergic skin reaction
Causes serious eye damage
Harmful if inhaled

Precautionary statement(s)

P260
P264
P271
P272
P280
P301+P330+P331
P303+P361+P353

Do not breathe dust/fume/gas/mist/vapors/spray.
Wash hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
Call a POISON CENTER/doctor if you feel unwell.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container to a licensed disposal company.

P304+P340
P305+P351+P338

P312
P333+P313
P362+P364
P363
P405
P501

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Component 1: Periodic Acid

1. Periodic acid

Concentration 1% (volume)

Other names / synonyms Periodic acid (H5IO6)
CAS no. 10450-60-9

Component 2: Sodium metabisulfite

1. Sodium metabisulfite

Concentration 5 % (weight)

Safety Data Sheet

HELICO*STAT RAPID HELICOBACTER STAIN KIT OSHA

Other names / synonyms Disodium disulphite; Disulfurous acid, sodium salt (1:2); Sodium disulfite; sodium metabisulphite; Sodium pyrosulfite

EC no. 231-673-0

CAS no. 7681-57-4

Index no. 016-063-00-2

- Acute toxicity, oral (chapter 3.1), Cat. 4
- Eye damage/irritation (chapter 3.3), Cat. 1

H302 Harmful if swallowed

H318 Causes serious eye damage

Component 3. Alcian Yellow Solution

1. Alcohol

Concentration 50 % (volume)

Other names / synonyms ABSOLUTE ETHANOL; ALCOHOL DEHYDRATED; ALCOHOL, ANHYDROUS; Alcoholum / ethanolum; ALGRAIN; ANHYDROL; COLOGNE SPIRIT; COLOGNE SPIRITS (ALCOHOL); Ethanol; ETHANOL 200 PROOF; ETHANOL SOLUTION; ETHYL ALCOHOL; ETHYL ALCOHOL ANHYDROUS; ETHYL HYDRATE; ETHYL HYDROXIDE; FERMENTATION ALCOHOL; GRAIN ALCOHOL; JAYSOL; JAYSOL S; METHYLCARBINOL; MOLASSES ALCOHOL; NCI-C03134; POTATO ALCOHOL; SD ALCOHOL 23-HYDROGEN; SPIRIT; SPIRITS OF WINE; TECSOL; UN 1170

EC no. 200-578-6

CAS no. 64-17-5

Index no. 603-002-00-5

- Flammable liquids (chapter 2.6), Cat. 2

H225 Highly flammable liquid and vapor

2. Acetic acid

Concentration 3% (volume)

Other names / synonyms acetic acid; ACETIC ACID; ACETIC ACID, GLACIAL; ACETICACID; Acidum aceticum; ETHANOIC ACID; ETHYLIC ACID; GLACIAL ACETIC ACID; METHANECARBOXYLIC ACID; UN 2789; UN 2790; VINEGAR ACID

EC no. 200-580-7

CAS no. 64-19-7

Index no. 607-002-00-6

- Flammable liquids (chapter 2.6), Cat. 3
- Skin corrosion/irritation (chapter 3.2), Cat. 1A

H226 Flammable liquid and vapor

H314 Causes severe skin burns and eye damage

SCLs/M-factors/ATEs Skin Corr. 1A; H314: $C \geq 90 \%$
Skin Corr. 1B; H314: $25 \% \leq C < 90 \%$
Skin Irrit. 2; H315: $10 \% \leq C < 25 \%$
Eye Irrit. 2; H319: $10 \% \leq C < 25 \%$

Safety Data Sheet

HELICO*STAT RAPID HELICOBACTER STAIN KIT OSHA

3. Alcian Yellow

Concentration 1 % (weight)
CAS no. 61968-76-1

Component 4. Toluidine Blue

1. Toluidine Blue O

Concentration 1 % (weight)

Other names / synonyms Phenothiazin-5-ium, 3-amino-7-(dimethylamino)-2-methyl-, chloride;
CAS no. 92-31-9

Component 5. Sodium hydroxide

1. Sodium hydroxide

Concentration 3 % (weight)

Other names / synonyms Caustic soda; Natrii hydroxidum; Sodium hydroxide ; Sodium hydroxide (Na(OH));

EC no. 215-185-5

CAS no. 1310-73-2

Index no. 011-002-00-6

- Skin corrosion/irritation (chapter 3.2), Cat. 1A

H314 Causes severe skin burns and eye damage

SCLs/M-factors/ATEs Skin Corr. 1A; H314: C ≥ 5 %

Skin Corr. 1B; H314: 2 % ≤ C < 5 %

Skin Irrit. 2; H315: 0,5 % ≤ C < 2 %

Eye Irrit. 2; H319: 0,5 % ≤ C < 2 %

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

In case of skin contact Rinse with plenty of water. Get medical attention if irritation develops and persists.

Safety Data Sheet

HELICO*STAT RAPID HELICOBACTER STAIN KIT OSHA

In case of eye contact Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.

If swallowed Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Personal protective equipment for first-aid responders

Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use extinguishing media appropriate for surrounding fire.

5.2 Specific hazards arising from the chemical

Ethanol: Carbon oxides

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Should not be released into the environment. See Section 12 for additional ecological information.

6.3 Methods and materials for containment and cleaning up

Safety Data Sheet

HELICO*STAT RAPID HELICOBACTER STAIN KIT OSHA

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS: 1310-73-2

Sodium hydroxide

ACGIH (USA): (C) 2 mg/m³ TLV® inhalation; Cal/OSHA (USA): (C) 2 mg/m³ PEL inhalation; NIOSH (USA): (C) 2 mg/m³ REL inhalation; OSHA (USA): 2 mg/m³ PEL inhalation

CAS: 64-17-5

Alcohol

ACGIH (USA): (ST) 1000 ppm TLV® inhalation; Cal/OSHA: 1000 ppm PEL inhalation; NIOSH: 1000 ppm REL inhalation; OSHA: 1000 ppm PEL inhalation; 1900 mg/m³ PEL inhalation

CAS: 64-19-7 (EC: 200-580-7)

Acetic acid

ACGIH (USA): 15 ppm STEL inhalation; 10 ppm, (ST) 15 ppm TLV® inhalation; 10 ppm TWA inhalation; Cal/OSHA (USA): 40 ppm C inhalation; 10 ppm, (ST) 15 ppm, (C) 40 ppm PEL inhalation; 10 ppm, 25 mg/m³ PEL inhalation; 15 ppm, 37 mg/m³ STEL inhalation; NIOSH (USA): 10 ppm, (ST) 15 ppm REL inhalation; 15 ppm, 37 mg/m³ ST inhalation; 10 ppm, 25 mg/m³ TWA inhalation; OSHA (USA): 25 mg/m³ PEL inhalation; 10 ppm PEL inhalation; 10 ppm, 25 mg/m³ TWA inhalation

CAS: 7681-57-4 (EC: 231-673-0)

Sodium metabisulfite

ACGIH: 5 mg/m³ (STEL) STEL inhalation; NIOSH: 5 mg/m³ REL-TWA inhalation

8.2 Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Pictograms



Eye/face protection

Safety Data Sheet

HELICO*STAT RAPID HELICOBACTER STAIN KIT OSHA

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available

Control banding approach

No data available.

Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Liquid
Appearance	Various dyes
Color	Various dyes
Odor	Alcohol, Acetic Acid
Odor threshold	No data available.
pH	Various
Melting point/freezing point	No data available.
Boiling point or initial boiling point and boiling range	No data available.
Flash point	No data available.
Evaporation rate	No data available.
Flammability	No data available.
Lower and upper explosion limit/flammability limit	No data available.
Vapor pressure	No data available.
Relative vapor density	No data available.
Density and/or relative density	No data available.
Solubility	No data available.
Partition coefficient n-octanol/water (log value)	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Kinematic viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.

Particle characteristics

No data available.

Supplemental information regarding physical hazard classes

Safety Data Sheet

HELICO*STAT RAPID HELICOBACTER STAIN KIT OSHA

No data available.

Further safety characteristics (supplemental)

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

None under normal use conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

None under normal use conditions.

10.4 Conditions to avoid

Exposure to moisture.

Avoid storing in direct sunlight and avoid extremes of temperature.

Heat, flames and sparks.

10.5 Incompatible materials

Ethanol: Alkali metals, Oxidizing agents, Peroxides

Acetic acid: Oxidizing agents, Soluble carbonates and phosphates, Hydroxides, Metals, Peroxides, permanganates, e.g. potassium permanganate, Amines, Alcohols, Nitric acid

Sodium hydroxide : Caustic soda reacts with all the mineral acids to form the corresponding salts. It also reacts with weak-acid gases, such as hydrogen sulfide, sulfur dioxide, and carbon dioxide. Caustic soda reacts with amphoteric metals (Al, Zn, Sn) and their oxides to form complex anions such as $AlO_2(-)$, $ZnO_2(-2)$, $SNO_2(-2)$, and H_2 (or H_2O with oxides). All organic acids also react with sodium hydroxide to form soluble salts. Another common reaction of caustic soda is dehydrochlorination.

10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

Acetic acid: Hazardous decomposition products formed under fire conditions. - Carbon oxides
Other decomposition products - No data available
In the event of fire: see section 5

Sodium hydroxide : Sodium oxides

SECTION 11: Toxicological information

Information on toxicological effects

Safety Data Sheet

HELICO*STAT RAPID HELICOBACTER STAIN KIT OSHA

Acute toxicity

Ethanol: ACGIH: A3 Confirmed animal carcinogen with unknown relevance to humans.

Skin corrosion/irritation

Acetic acid

LD50 Skin - Rat - 1,112 mg/kg

ETHANOL

LD50 Skin - Rabbit - 15,800 mg/kg

ETHANOL

OECD Test Guideline 404 Skin - Rabbit - 24 h

Result: No skin irritation

Sodium metabisulfite

LD50 Skin - Rat - > 2,000 mg/kg

Serious eye damage/irritation

ETHANOL

OECD Test Guideline 405 Eyes - Rabbit

Result: Moderate eye irritation

Sodium metabisulfite

- Rabbit

Result: Risk of serious damage to eyes.

Respiratory or skin sensitization

Acetic acid

LC50 Inhalation - Mouse - 5620 ppm - 1 h

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Conjunctive irritation. Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Other. Blood:Other changes.

Acetic acid

LC50 Inhalation - Rat - 11.4 mg/l - 4 h

Sodium metabisulfite

Result: Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals

Germ cell mutagenicity

Based on available data, classification data are not met

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Based on available data, classification data are not met

Safety Data Sheet

HELICO*STAT RAPID HELICOBACTER STAIN KIT OSHA

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

Acetic acid

LC50 Inhalation - Mouse - 5620 ppm - 1 h

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Conjunctive irritation. Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Other. Blood:Other changes.

Acetic acid

LC50 Inhalation - Rat - 11.4 mg/l - 4 h

ETHANOL

LD50 Inhalation - Rat - 30,000 mg/l - 4 h

Additional information

No data available.

SECTION 12: Ecological information

Toxicity

Acetic acid

LC50 - Oncorhynchus mykiss (rainbow trout) - >1,000 mg/l - 96 h

Citation: (OECD Test Guideline 203)

Acetic acid

EC50 - Daphnia magna (water flea) - >300.82 mg/l - 48 h

Citation: (OECD Test Guideline 202)

ETHANOL

EC50 - Chlorella vulgaris (Fresh water algae) - 275 mg/l - 72 h

ETHANOL

LC50 - Pimephales promelas (fathead minnow) - 14,200 mg/l - 96 h

ETHANOL

LC50 - Ceriodaphnia dubia (water flea) - 5,012 mg/l - 48 h

Sodium hydroxide solid or pellets

LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h

Citation: Sigma SDS

Sodium hydroxide solid or pellets

LC50 - Oncorhynchus mykiss (rainbow trout) - 45.4 mg/l - 96 h

Citation: Sigma SDS

Sodium hydroxide solid or pellets

EC50 - Daphnia magna (water flea) - 40.38 mg/l - 48 h

Citation: Sigma SDS

Sodium hydroxide solid or pellets

LC50 - Poecilia reticulata (guppy) - 196 mg/l - 96 h

Citation: Ecotox, 63143 Adema,D.M.M., 1985

Safety Data Sheet

HELICO*STAT RAPID HELICOBACTER STAIN KIT OSHA

Sodium metabisulfite
LC50 - Oncorhynchus mykiss (rainbow trout) - 150 - 220 mg/l - 96 h

Sodium metabisulfite
EC50 - Daphnia magna (water flea) - 89 mg/l - 24 h

Sodium metabisulfite
IC50 - Desmodesmus subspicatus (chodat) - 48 mg/l - 72 h

Persistence and degradability

No data available.

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Endocrine disrupting properties

No data available.

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Disposal methods

Product disposal

Offer surplus and non-recyclable solutions to a licensed disposal company.

Packaging disposal

Dispose of as unused product.

Waste treatment

No data available

Sewage disposal

Do not let product enter drains

Other disposal recommendations

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

SECTION 14: Transport information

DOT (US)

UN Number: UN1760

Class: 8

Packing Group: I

Proper Shipping Name: Corrosive liquids, n.o.s.

Reportable quantity (RQ):

Safety Data Sheet

HELICO*STAT RAPID HELICOBACTER STAIN KIT OSHA

Marine pollutant:
Poison inhalation hazard:

IMDG

UN Number: UN1760
Class: 8
Packing Group: I
EMS Number:
Proper Shipping Name: Corrosive liquids, n.o.s.

IATA

UN Number: UN1760
Class: 8
Packing Group: I
Proper Shipping Name: Corrosive liquids, n.o.s.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.
CAS-No. 64-17-5: Ethanol

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
CAS-No. 64-17-5: Ethanol

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Canadian Domestic Substances List (DSL)

Chemical name: Periodic acid (H5IO6)
CAS: 10450-60-9

Chemical name: Ethanol
CAS: 64-17-5

Chemical name: Acetic acid
CAS: 64-19-7

Chemical name: Phenothiazin-5-ium, 3-amino-7-(dimethylamino)-2-methyl-, chloride
CAS: 92-31-9

Chemical name: Sodium hydroxide (Na(OH))
CAS: 1310-73-2

Massachusetts Right To Know Components

Sodium metabisulfite
CAS number: 7681-57-4

Safety Data Sheet

HELICO*STAT RAPID HELICOBACTER STAIN KIT OSHA

Chemical name: Ethanol
CAS number: 64-17-5

Acetic acid
CAS number: 64-19-7

Chemical name: Sodium hydroxide
CAS number: 1310-73-2

New Jersey Right To Know Components

Sodium metabisulfite
CAS number: 7681-57-4

Common name: ETHYL ALCOHOL
CAS number: 64-17-5

Acetic acid
CAS number: 64-19-7

Common name: SODIUM HYDROXIDE
CAS number: 1310-73-2

Pennsylvania Right To Know Components

Sodium metabisulfite
CAS number: 7681-57-4

Chemical name: Ethanol
CAS number: 64-17-5

Acetic acid
CAS number: 64-19-7

Chemical name: Sodium hydroxide
CAS number: 1310-73-2

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards

Acute Health Hazard

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

15.2 Chemical Safety Assessment

The supplier of this product has not conducted any Chemical Safety Assessment

HMIS Rating

Safety Data Sheet

HELICO*STAT RAPID HELICOBACTER STAIN KIT OSHA

HELICO*STAT RAPID HELICOBACTER STAIN KIT OSHA	
HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	C

SECTION 16: Other information

SDS-0127, Rev. A

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Diagnostic BioSystems be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Diagnostic BioSystems has been advised of the possibility of such damages.